

R I S H I K E S H Y O G A C E N T E R

The Key Poses of Hatha Yoga

Yoga Teacher Training & Retreats in Rishikesh

This PDF is shared for educational and personal study purposes only. Copyright remains with the original author / publisher. If you are the rights holder and wish this file removed, please contact us at info@rishikeshyogacenter.com

rishikeshyogacenter.com

Reading Library

A NOTE FROM THE CENTER

From Rishikesh Yoga Center

This edition of The Key Poses of Hatha Yoga is shared free through the Rishikesh Yoga Center Reading Library. Based beside the Ganga in Rishikesh — the birthplace of yoga — we are a Yoga Alliance Registered School (RYS 200 & 300) teaching traditional yoga, meditation and philosophy in the Himalayan tradition.

Texts like this sit at the heart of our teacher-training syllabus. Reading on your own is a real and worthy practice — svadhyaya, self-study, is itself one of the niyamas. To study it with a teacher who lives this tradition, you are warmly welcome to train with us in Rishikesh.

To train with us in Rishikesh:

200 Hour Yoga Teacher Training in Rishikesh

rishikeshyogacenter.com/200-hour-yoga-teacher-training-in-rishikesh

300 Hour Yoga Teacher Training in Rishikesh

rishikeshyogacenter.com/300-hour-yoga-teacher-training-in-rishikesh

500 Hour Yoga Teacher Training in Rishikesh

rishikeshyogacenter.com/500-hour-yoga-teacher-training-in-rishikesh

100 Hour Yoga Teacher Training in Rishikesh

rishikeshyogacenter.com/100-hour-yoga-teacher-training-in-rishikesh

Free Yoga & Ayurveda Reading Library

rishikeshyogacenter.com/books

May your practice be steady. Om Shanti.

RISHIKESH YOGA CENTER

Rishikul Yogshala, near Narayan Kunj, Ram Jhula, Swarg Ashram, Rishikesh, Uttarakhand 249304

+91-8433225327 · info@rishikeshyogacenter.com



rishikeshyogacenter.com


Your Guide to Functional Anatomy in Yoga

The Key Poses of Hatha Yoga

Ray Long MD FRCSC

Featuring illustrations by
Chris Macivor





“On a given day, a given circumstance, you think you have a limit. And you then go for this limit and you touch this limit, and you think, ‘Okay, this is the limit.’ As soon as you touch this limit, something happens and you suddenly can go a little bit further. With your mind power, your determination, your instinct, and the experience as well, you can fly very high.”

– Ayrton Senna

Written by Raymond A Long MD FRSC, illustrated by Chris MacIvor

Design: Chris Cantley

Ten Bull Pictures illustrated by Ailana McCarthy

Editorial services: Anne McDonnell, Eileen Wollberg

Printed in Canada

Copyright ©2008, Raymond A Long MD FRSC

All rights reserved. No part of this publication may be reproduced or transmitted in any other form or by any means, electronic or mechanical including photocopy, recording, or any information storage and retrieval system now known or to be invented, without permission in writing from the publisher, except by a review written for inclusion in a magazine, newspaper, or broadcast.

Always, in your particular case, consult with and obtain approval from your physician before practicing yoga or any other exercise program. The author, illustrator and publisher expressly disclaim any responsibility and assume no responsibility for any injuries that may occur as a result of practicing yoga or any other exercise program.

Always practice yoga under the guidance of a qualified instructor.

About the author

Ray Long MD FRCSC is a board certified orthopedic surgeon and the author of “The Key Muscles of Hatha Yoga”. Ray graduated from The University Of Michigan Medical School and received his orthopedic training at The University of Montreal, specializing in shoulder and elbow surgery at the Florida Orthopedic Institute. Ray has studied Hatha yoga for over twenty years, travelling to India on numerous occasions to study intensively with B.K.S Iyengar and other leading yoga masters.

About the illustrator

Chris Macivor has been involved in the field of digital content creation for well over ten years. He is a graduate of Etobicoke School of the Arts, Sheridan College and Seneca college. Chris considers himself to be equally artistic and technical in nature. As such his work has spanned many genres from film and television to videogames and underwater imagery. Working with Dr. Long on the “Scientific Keys” book series he has endeavored to digitally reproduce the biomechanical perfection of the human body. With a keen eye for subtle lighting and a passion to strive for excellence in his art, Chris constantly seeks to bring his imagery to life.

Table of Contents

Introduction	<i>vi</i>
How To Use This Book	<i>viii</i>
 Part One	 1
Biomechanics of Stretching	2
Physiology of Stretching	10
Muscle Spindle	12
Reciprocal Inhibition	16
Golgi Tendon organ	18
Combining Biomechanics and Physiology	22
Muscle Awakening	24
Recruitment and Bandhas	30
The Ten Bull Pictures	32
 Part Two	 35
Preparatory Poses	36
Sun Salutations	59
Standing Poses	54
Hip Openers	87
Forward Bends	99
Twists	121
Back Bends	131
Arm Balances	147
Inversions	165
Restorative Poses	179
 Appendices	
Guide to Body Movement	190
Index of Anatomy	202
Index of Poses	212

Introduction




Figure 1: The biceps and brachialis are synergists of elbow flexion. The triceps, as elbow extensors, are antagonists of elbow flexion.

My first spiritual teacher, author and mystic Robert A. Johnson taught me to “look at what is.” He was speaking about life in general and his advice applies to the practice of Hatha yoga as well.

Throughout our first book in this series, “The Key Muscles of Hatha Yoga” we illustrate the relationship between form and function for the bones, joints, ligaments and muscles. Similarly, looking at the form or shape of any given yoga pose reveals its unique function.

Individual joints have a number of specific muscles that create movement. Look at Figure 1 to see how activating the biceps and brachialis muscles flexes the elbow and lengthens the muscles that oppose this action—those at the back of the upper arm, the triceps.

Individual yoga poses have specific groups of muscles that work together to create the optimal form. I call these muscle groups the synergists of the pose. You can deepen and stabilize a pose by activating these muscles.

Look at Figure 2 to see this concept in action with the standing pose *Prasarita Padottanasana*. This image illustrates how contracting the muscles at the front of the thigh, hip and torso—the quadriceps, psoas and rectus abdominus—deepens the pose and stretches the opposing muscles at the back of the thigh, buttocks and along the spine. This is how combining the synergists in a yoga pose works to create the optimal functional benefit for the practitioner.

Yoga poses are like “keys” that unlock our conscious awareness of the body. Forward bends stretch and release the structures on the back of the body, while strengthening the muscles on the front of the body. Back bends have an opposite effect, and so on for the different categories of poses. Knowledge of the functional anatomy of yoga reveals the mechanisms behind these processes.

“The Key Poses of Hatha Yoga” is intended to be a visual reference for the practitioner to aid in his or her individual journey. It illustrates fifty five of the fundamental poses of Hatha yoga, the suggested positions of the major joints and the muscles that contract to create these key positions, as well as the muscles that stretch in the various poses. Part One of “The Key Poses of Hatha Yoga” illustrates the science behind the biomechanics and physiology of stretching muscles. Part Two applies this knowledge to the various categories of poses to unlock the benefits.

Practicing yoga is an exploration of our individual bodies. Bear in mind that there are many interpretations of the poses. There are also variations for the poses depending on the system of Hatha yoga and the experience of the practitioner. Enjoy your practice and seek out your own “best” interpretations. Find out what works for you to open the door to your individual experience in yoga.

Namaste’

Ray Long, MD FRCSC






Figure 2: The synergists (blue) and antagonists (red) in Prasarita Padottanasana.





How To Use This Book

Practicing yoga using the right side of the brain


Visual artists often approach their subjects using the right side of their brain. This is because the right brain is concerned with creativity and spatial awareness. When an artist undertakes to draw an elbow, for example, he or she will often discard preconceived ideas of how an elbow should look and switch to a visual mode of thought. Artists do this by thinking in terms of forms, angles, light and shadow. What emerges is a unique image. This concept is well described by author Dr. Betty Edwards in her groundbreaking work "Drawing on the Right Side of the Brain".

Practicing yoga can be approached in much the same way. For example, looking at the form of Downward Dog Pose reveals that the arms and legs are straight and the hips are flexed. We can make our own rendition of this pose by activating the muscles that best create this form. In this case we contract the triceps to straighten the elbows, the quadriceps to straighten the knees and the hip flexors to bend the torso. This process can be applied to any yoga pose through a basic knowledge of functional anatomy. In this way, we can use the musculoskeletal system to create the forms of yoga with the body, much as one would use a brush or chisel to create a work of art. This results in a cognitive shift to visual right brain thinking and evokes a trance-like meditative state.

"The Key Poses of Hatha Yoga" illustrates a variety of the suggested muscles that can be activated or relaxed to deepen and improve yoga poses. First take a "Gestalt" approach and simply enjoy the images, allowing them to permeate your unconscious mind. Then begin to break them down by looking at specific joints and experimenting with the muscles surrounding them.

The Sanscrit word for focus is "Drishti". Use your knowledge of the body to create Drishti in your practice. I recommend limiting your concentration to one muscle group at a time in any given pose. Focus on the large muscles at first to create a specific movement and then use the smaller muscles to refine the movement. Go slowly and gently, consolidating your knowledge of anatomy and physiology over time. Remember that your brain will unconsciously integrate what you learn during the time between your practices.

Above all have fun and practice safely.



part one: theory

Use Part One to learn about the science behind the biomechanics and physiology of yoga.

part two: practice

Use Part Two to learn about the specific poses. Muscles that are activating (contracting) are colored blue and muscles that are stretching are red. Most poses also have an inset image detailing some aspect of the musculoskeletal system in that particular pose.



Contracting



Stretching

Golgi Tendon Organ

The Golgi tendon organ is a sensory receptor or proprioceptor that is located where the muscle and tendon are joined. It detects changes in tension, and when tension increases, signals the muscle to relax. This acts like a "circuit breaker" to prevent injury to the tendon when tension generated by the contracting muscle becomes too high. This contract with the muscle spindle receptor which detects change in length and tension in the body of the muscle and signals the muscle to contract.


The Golgi tendon organ forms the basis for a phenomenon used by physical therapists and sports trainers known as proprioceptive neuromuscular facilitation or "PNF". In PNF we temporarily contract a target muscle that we are stretching in order to stimulate the Golgi tendon organ. The Golgi tendon organ then signals the muscle to relax in effect, the reaction "kick" in the muscle that we can then take up to going deeper into the stretch.

This may seem counterintuitive to contracting a muscle that we are trying to stretch. However, when applied carefully, this technique can be used to "release" blocks and tension points. To understand the technique, we will look at lengthening the hamstrings. The muscles down the back of the thigh in this location. The technique is generally applied as follows:

1. First, take the muscle out to length. This establishes where the "set length" of the muscle is, the point that the brain recognizes as the end of the stretch.
2. Next, gently contract the target muscle. In this case, we are focusing on the hamstring of the straight leg, or an attempt to bend the knee to create a contraction in the hamstring (the action of the hamstring is to bend the knee). Generally, across the leg slightly bending the knee and pressing the heel into the floor. This causes the hamstring to contract.
3. Contract the muscle to create that hourly percent of its maximum force and hold this for eight to ten seconds. Then relax for one fourth.
4. Now contract the antagonist muscle at the back of the thigh to take the target muscle out to a new length. In this case, we contract the quadriceps to lengthen the knee and bend deeper into the stretch of the hamstring.

Steps and cautions:

1. If you are new to PNF, spend a few minutes conditioning your body first using these powerful techniques to deepen stretches.
2. Remember that the Golgi tendon organ is there to protect the tendon from injury but is able to stretch the tendon too. Never create a reflex using the technique. Never contract the target muscle more than about twenty percent of its maximum force.
3. The force generated by contracting muscles is transmitted to the joints. This is called the "joint reaction force". In your mind, avoid putting too much force on the joints in their natural alignment while stretching. If you experience joint pain, then back off from the stretch and stop.
4. Focus on one stretch at a time and hold your "80%" stretching for one minute in practice session. Do not move that knee to knee cycles off the stretch, do not relax above.
5. Allow ample time (eight to ten hours) for recovery before repeating this technique.
6. Always practice under the guidance of an experienced and qualified teacher.





Eka Pada Rajakapotasana I: Pigeon Pose

This is an advanced back bend. The thoracic spine is in a moderate rotation using a set to set in engaging the foot. The particular attention to the chest in this pose is kept off and open the chest by focusing on activating the serratus anterior muscles, located at the upper part of the chest, and the rhomboid muscles, connecting the spine to the scapula bones.


Synergizing/Activating

1. The forward leg is rotated outward by the pose, to bend high at the front of the thigh, the sartorius attached to the pelvis and thigh bone, and deep external rotation in the thigh that have a turning capacity.
2. The tensor fasciae latae and gluteus medius along the side and back of the hip are disengaged as working because they can shorten and lengthen, as well as turn the hip inward toward the midline.
3. The thigh bone is moved away from the midline by the sartorius and the gluteus medius in the buttock.
4. Hamstrings of the forward leg bend the knee.
5. The gluteus maximus in the buttock of the back leg presses the hip forward, lifts the pelvis downward, and extends the thigh bone.
6. The gluteus medius in the buttock works with the tensor fasciae latae along the side of the hip to turn the hip inward.
7. Hamstrings bend the knee and further extend the leg.
8. The iliacus anterior and posterior along the edge of the spine and the left hand and right hand turn the spine outward. These actions create a space to grip the foot and connect the upper and lower extremities.




appendix A: guide to body movement

Use Appendix A as a reference for individual joint movement.



appendix B: index of anatomy

Use Appendix B to review muscle and bone names and locations on the body. For more detailed information on musculoskeletal anatomy in relation to yoga, Volume I of this series "The Key Muscles of Hatha Yoga" is recommended.



part one: theory

Biomechanics of Stretching	2
Physiology of Stretching	10
Muscle Spindle	12
Reciprocal Inhibition	16
Golgi Tendon organ	18
Combining Biomechanics and Physiology	22
Muscle Awakening	24
Recruitment and Bandhas	30
The Ten Bull Pictures	32

Biomechanics of Stretching

A number of years ago I asked the great yoga master, BKS Iyengar, what he thought was the key to mastering yoga. In response, he held up one hand and, pointing to each of the different surfaces of his fingers, the insides, the outsides, front and back, said: "You must balance all of the energies in each part of the body."

The Sanscrit word "Hatha" means Sun/Moon and implies a balanced Yin Yang in yoga. Viewed in this way, Mr. Iyengar's statement captures the essence of Hatha yoga.




Figure 1: The biceps and brachialis muscles synergize to flex the elbow.

Understanding biomechanical processes and interactions is one key to balancing the forces and energies throughout the body. Body biomechanics are under the mind's conscious control. The brain controls the skeletal muscles that move the bones and joints, signaling the muscles to contract or relax and moving the body into the positions of yoga.

Each joint is surrounded by muscles that are grouped according to the movement they produce when contracting or relaxing. The agonist or prime mover muscles act to produce a given movement. Synergist muscles aid with this movement and antagonist muscles oppose it (Figure 1). Working in concert, these various muscles act to balance the energies in each part of the body.

Joint Mobility and Stability – The Biomechanical Yin Yang

Joint mobility and stability function in a Yin Yang fashion. The greater the mobility, the lesser the stability (and vice versa). Musculoskeletal biomechanics describe this process. Three factors determine movement about a given joint:

1. The bone shape
2. The capsuloligamentous structures
3. The muscles that surround the joint

The shape of the bones forming a joint contributes to determining its range of motion. A deep ball and socket joint, such as the hip, has limited movement in three planes and the stability to bear the body weight. A shallower ball and socket joint such as the shoulder has greater mobility than the hip, but far less stability (Figure 2).

The capsule and ligaments surrounding the joints are known as the capsuloligamentous structures. The joint capsule and ligaments are comprised of fibrous connective tissue. Capsuloligamentous structures fasten bones to one another and also contribute to determining joint mobility and stability. They function like mobile extensions of bones at the joint. Like the bones, the form of the capsuloligamentous structures reflects their function.

Bones forming stable joints such as the sacroiliac are held together by thick stout ligaments, allowing only limited joint mobility. On the other hand, bones forming the shoulder joint are connected by much thinner, more malleable ligaments, allowing greater mobility.

Finally, there are muscles that surround the joint—the muscular stabilizers. Contracting muscles not only produces movement but also stabilizes the joints. The contractile state of a muscle affects the mobility of the joint. Tight muscles limit joint mobility and relaxed muscles increase it. Stretching lengthens the muscular stabilizers of a specific joint, allowing for greater range of motion of that joint. Practicing yoga lengthens muscles surrounding multiple joints and increases the range of motion for the entire body.

Limitations in the ability to perform a given yoga pose can result from any of the factors determining joint mobility and stability, including the muscle's contractile state, the length and/or tightness of the capsuloligamentous structures and the bone shape—or a combination of these factors.

Bone shape is permanent and cannot be changed once the growth plates are closed (during adolescence). While the shapes of bones vary from person to person, it is difficult to say that a particular individual's bone shape is the limiting factor their ability to perform a given yoga pose. The state of the capsuloligamentous structures can also limit the ability to perform a yoga pose. Furthermore, ligaments have a limited capacity to stretch without being damaged, potentially creating instability about the joint.

Since bone shape cannot be changed and ligament length should not be changed we are left to work with the muscular stabilizers. This is a good thing. It simplifies matters because the length intention of skeletal muscles is under our conscious influence and can be safely affected by practicing yoga to improve the body's range of motion.





Figure 2: The deep ball and socket joint of the hip and the shallow ball and socket joint of the more mobile shoulder (with ligaments).



What is Stretching?

All skeletal muscles have an origin in one part of the skeleton and an insertion on another part. Stretching a muscle basically involves moving its origin and insertion farther apart. Muscles can be stretched by fixing their skeletal origin in place and moving the insertion or vice versa (or a combination). The figures on these pages use the supraspinatus and hamstring muscles to illustrate this concept.

Here Garudasana (Eagle Pose) illustrates moving the origin or insertion of the supraspinatus muscle in the shoulder to create length.




Figure 1: The pectoralis major draws the humerus towards the midline of the body. This action moves the insertion of the supraspinatus muscle on the head of the humerus away from its origin on the body of the scapula.




Figure 2: The rhomboids draw the body of the scapula towards the spine in the midline of the back. This action moves the origin of the supraspinatus muscle away from its insertion on the head of the humerus.

Several structures are affected when a muscle lengthens, including the connective tissue elements that ensheath the muscle and the contractile elements that cause it to contract. Connective tissues lengthen over time with consistent practice. The contractile elements (also known as myomeres) are under the control of the central nervous system. We focus on these elements in the section entitled "Physiology of Stretching."

Here Uttanasana illustrates moving the origin or insertion of the hamstrings to create length in the back of the thighs.




Figure 3: The psoas tilts the pelvis forward. This action draws the origin of the hamstring muscles at the back of the pelvis upwards and away from their insertion on the lower leg.




Figure 4: The quadriceps straightens the knee. This action moves the insertion of the hamstrings away from their origin on the ischial tuberosity of the pelvis.

Moving Origins and Insertions

The following pages use Janu Sirsasana to illustrate moving the origins and insertions of a series of muscles throughout the body to deepen a pose.




Figure 1: Bending the knee releases the origin of the main calf muscle, the gastrocnemius. This allows its insertion on the heel bone to move freely.




Figure 2: Once the calf muscles are relaxed bend the elbows to tilt the foot backwards and hold it in this position. This fixes the insertion of the calf muscles at a point further away from their origin on the femur. This is an example of connecting the upper and lower extremities to deepen a pose.




Figure 3: The hands continue to grip the feet while the biceps and brachialis muscles remain active, bending the elbows and holding the foot in the tilted back (dorsiflexed) position. The quadriceps then straightens the knee. This action draws the origin of the calf muscles on the back of the knee away from their insertion on the heel, stretching these muscles.




Figure 4-a: Bending the knee releases the insertion of the hamstring muscles on the lower leg. The psoas muscle then tilts the pelvis forward. This action moves the origin of the hamstrings at the back of the pelvis away from their insertion on the lower leg.

Moving Origins and Insertions




Figure 4-b: Here we show the same action as 4-a from the other side of the pose.






Figure 5: Contracting the quadriceps straightens the knee, moving the insertion of the hamstrings on the lower leg away from their origin at the back of the pelvis. The psoas maintains the pelvis in a tilted forward position. These actions combine to lengthen the hamstrings.

These images illustrate how Janu Sirsasana combines movements of the various major joints—the ankle, knee, hip, elbows and those of the spine—to create length in the muscles of the back of the body.



Figures 6-a, 6-b: The hands and arms tilt the ankle joint back and the knee straightens, lengthening the calf muscles. The knee straightens and the pelvis tilts forward, lengthening the hamstrings. The hip flexes, lengthening the gluteus maximus. The elbows flex, bending the trunk forward to stretch the muscles running the length of the spine. This action pulls the pelvis further forward and combines with the psoas to intensify the entire stretch.

Physiology of Stretching

Musculoskeletal biomechanics are under our conscious control. For example, when we want to straighten the knee the brain signals the quadriceps to contract and the knee straightens, stretching the hamstrings. This action triggers a chain of physiological responses that take place without our conscious awareness.

Receptors within the joints and muscles detect movement and changes in muscle tension and length. These receptors signal the central nervous system, which responds by regulating the contractile state of the muscles. This, in turn, affects the range of motion of a given joint.

In this way, conscious biomechanical actions influence unconscious physiological responses. Moving the body into a yoga posture initiates a cascade of these biomechanical and physiological events.

The Spinal Cord Reflexes


Spinal cord reflex arcs regulate the tension and length of skeletal muscle contractile elements. This regulation occurs automatically in response to biomechanical actions. When a muscle contracts or stretches, receptors within it alert the central nervous system to this event. The central nervous system then signals the muscle to respond appropriately, either by relaxing or contracting. All of this takes place without our being aware of it by way of an arc of nerves between the muscles and spinal cord. The result is a Yin Yang feedback mechanism that balances and fine-tunes movement.

A complex array of receptors and their corresponding reflex arcs connect the musculoskeletal system to the central nervous system. For practical purposes, I have limited the discussion in this chapter to the three major spinal cord reflexes: the muscle spindle, reciprocal inhibition and the Golgi tendon organ.

Methods of Stretching Muscles

There are basically three methods of stretching.

1. **Ballistic stretching:** This type of stretching uses jumping type actions to stretch target muscle groups. Vinyasa flow series are an example of ballistic type stretching. This method is useful for “resetting” muscle length to that attained in previous practice. Practicing the Sun Salutations in the morning is an example of this.
2. **Passive stretching:** This type of stretching involves the use of body weight, gravity and synergist / agonist muscle groups to create a stretch. The body is placed into the position of stretch and held there for longer periods to allow the stretch receptors to “acclimate”. This type of stretch affects the muscle spindle receptor in particular. Holding passive stretches for longer periods lengthens the non-contractile elements of the muscle such as the fascial sheath.
3. **Facilitated stretching:** Also known as “PNF” or proprioceptive neuromuscular facilitation, this type of stretching involves briefly contracting the muscle targeted for stretch. This action stimulates the Golgi tendon organ stretch receptor, resulting in the spinal cord signaling the muscle to relax. The “slack” created by this response is then taken up by deepening the stretch.



Stretching and Endorphins

Endorphins are responsible for a variety of physiological responses including the sense of relaxation and well being that follows a yoga practice. Stretching triggers the release of these neuroendocrine factors. Endorphins act in a lock-and-key fashion with receptors on the surface of cells within the central nervous system. Gates on the cell membrane open to allow endorphins to pass into the nerve cell where they have their effect.

This image is an artistic interpretation of endorphin release and internalization across the synaptic cleft between neurons.


The Muscle Spindle Stretch Receptor

The muscle spindle stretch receptor is a modified muscle cell located in the “belly” of all skeletal muscles. It detects changes in length and tension within the muscle. Basically, when a muscle stretches, the muscle spindle sends a signal to the spinal cord, which then signals the muscle to contract and resist the stretch. This protects the muscle from over-stretching or tearing and is known as a “spinal cord reflex arc”.

Never force the body into a stretch in yoga because this intensifies the firing of the muscle spindle, causing the muscle to contract. This mechanism can block deepening of the stretch. Rather, “dissolve” the blockages slowly by working with the spinal cord reflex arcs to decrease the reflex contraction of the muscle and then go deeper into the pose.

The figure on the facing page illustrates the spinal cord reflex arc of the muscle spindle. A signal is sent from the muscle spindle receptor to the spinal cord. This signal is then relayed to the motor nerve via the spinal cord, signaling the muscle to contract and resist the stretch. This is a “primitive” reflex that occurs unconsciously in response to a biomechanical event, the stretching of a muscle. Holding a stretch for 30-60 seconds causes the muscle spindle to decrease its firing and the muscle begins to relax. Backing part-way out of a stretch also decreases firing of the muscle spindle, relaxing the muscle and allowing a deeper stretch.

The following page uses the forward bend Uttanasana to describe a technique for “reassuring” the muscle spindle and decreasing its firing. This technique involves backing out part-way from the stretch for a few moments and then going into a deeper stretch. It may seem counter-intuitive, but we can actually deepen a stretch by first backing off on the stretch. This helps to decrease the reflex contraction of the muscles we are targeting for stretch.







Figure 1: Coming part way out of a deeper stretch such as Uttanasana “acclimates” the muscle spindle so that the intensity of its firing decreases. The target muscle then relaxes, allowing length to be created by deepening the stretch. This image illustrates coming halfway out of Uttanasana using a chair. This acts to decrease firing of the muscle spindle and reflex contraction of the calf muscles, hamstrings, gluteals, and back muscles.



The muscle spindle in Uttanasana

Carefully bend forward in Uttanasana until you feel a moderate stretch. The muscle spindles of the hamstring, gluteus maximus and erector spinae muscles will fire in response to this stretch and send a signal to the spinal cord. This is the first part of the reflex arc, with the muscle spindle connecting to the spine via the efferent nerve. The second part is the outgoing signal from the spinal cord via the afferent nerve to the muscle, signaling it to contract. The reflex contraction of the muscles of the back of the body—those being stretched—is part of what may prevent deepening of the posture Uttanasana.

The next step is to back off or “dissolve” reflex contraction of the stretched muscles by slightly relaxing the stretch. Chair Uttanasana is one way to acclimate the muscle spindle for forward bends since lifting the torso decreases the intensity of the stretch of the muscles of the back body. Decreasing the stretch decreases the intensity of the firing of the muscle spindle, thus minimizing reflex contraction of the stretching muscles.

Hold this milder stretch for a few breaths. This quiets the muscle spindle stretch receptors and interrupts their ‘alarm’. Once the muscle spindle adjusts to the milder stretch, contract the muscles at the front of the thigh to straighten the knees and deepen the pose.

Figure 2: The firing of the muscle spindle has decreased and the calf muscles, hamstrings, gluteals, and back muscles are more relaxed, allowing the target muscles to relax. This image illustrates deepening of the stretch in Uttanasana.

Reciprocal Inhibition

The concept of the balanced Yin Yang appears throughout the body. It is present in anatomy where the form of a joint fits its function. Consider again the shape of the hip and shoulder joints to see this concept in action.

The Biomechanical Yin Yang

Muscles fall into two basic groups depending what we are doing at any given moment. For example, the quadriceps are the agonists for extending or straightening the knee. The hamstrings along the back of the thigh stretch when the knee extends and so are the antagonists for this action. Conversely, the hamstrings become the agonist muscle when the knee bends and the quadriceps, the antagonist. This is a biomechanical Yin Yang.


Reciprocal Inhibition - A Physiological Yin Yang

It makes sense that there would be a corresponding physiological Yin Yang to make biomechanical processes such as bending and straightening the knee energy efficient, i.e. when the agonist muscle contracts, its antagonist relaxes. This exists as the primitive spinal cord reflex known as reciprocal inhibition, meaning that muscles on one side of a joint relax to accommodate contraction on the other side of that joint. We can consciously access this reflex arc to deepen and improve our poses.

In Paschimottanasana, the quadriceps muscle along the front of the thigh is the agonist and the hamstring muscles along the back of the thigh are the antagonists. Contracting the quadriceps signals the hamstrings to relax. This takes place via the spinal cord. The nerve impulse that results in contraction of the quadriceps is called excitatory and the impulse to the hamstrings is called inhibitory.

Try this technique to get a bit deeper in this pose by firmly contracting the quadriceps to straighten the knee and note how the hamstring muscles relax. Apply it to different agonist / antagonist muscle groups in other poses. Note the added biomechanical benefit of improved bone alignment when you apply this technique.

Figure 1: The brain signals the quadriceps to contract and straighten the knee. At the same time the brain also signals the hamstrings to relax. In this image the plus sign signifies excitatory impulses from the brain to the quadriceps, stimulating contraction. The minus sign signifies inhibitory impulses to the hamstrings, blocking contraction with resultant relaxation. This combination of impulses allows the knee to straighten.



Golgi Tendon Organ

The Golgi tendon organ is a sensory receptor that is located where the muscle and tendon are joined. It detects changes in tension, and when tension increases, signals the muscle to relax. This acts like a “circuit breaker” to prevent injury to the tendon when tension generated by the contracting muscle becomes too high. This contrasts with the muscle spindle receptor, which detects change in length and tension in the body of the muscle and signals the muscle to contract.


The Golgi tendon organ forms the basis for a phenomenon used by physical therapists and sports trainers known as proprioceptive neuromuscular facilitation or “PNF”. In PNF we temporarily contract a target muscle that we are stretching in order to stimulate the Golgi tendon organ. The Golgi tendon organ then signals the muscle to relax. This creates “slack” in the muscle that we can then take up by going deeper into the stretch. This is known in physiology as the “relaxation response”.

This may seem counterintuitive at first—contracting a muscle that we are trying to stretch; however, when applied carefully this technique can be used to “dissolve” blocks and deepen poses. To understand the technique we will look at lengthening the hamstrings in Janu Sirsasana. The technique is generally applied as follows:

1. First, take the muscle out to length. This establishes where the “set length” of the muscle is, the point that the brain recognizes as the end of the stretch.
2. Next, gently contract the target muscle. In this case, we are focusing on the hamstrings of the straight leg, so we attempt to bend the knee to create a contraction in the hamstrings (the action of the hamstrings is to bend the knee). I generally access this by slightly bending the knee and pressing the heel into the floor. This causes the hamstrings to contract.
3. Contract the muscle to no more than twenty percent of its maximum force and hold this for eight to ten seconds. Then relax for one breath.
4. Now, contract the antagonist muscles at the front of the thigh to take the target muscle out to a new “set” length. In this case, we contract the quadriceps to straighten the knee and bend deeper into the stretch of the hamstrings.

Hints and cautions:

1. If you are new to yoga, spend a few months conditioning your body first before using these powerful techniques to deepen stretches.
2. Remember that the Golgi tendon organ is there to protect the tendon from injury, but its ability to protect the tendon has limits. Never overdo it when using this technique. Never contract the target muscle more than about twenty percent of its maximum force.
3. The force generated by contracting muscles is transmitted to the joints. This is called the “joint reaction force” so you must always protect your joints by maintaining them in their natural alignment while stretching. If you experience joint pain, then back off from the stretch and stop.
4. Focus on one muscle group at a time and limit your “PNF” stretching to one pose in a practice session. Do no more than two to three cycles of the stretch described above.
5. Allow ample time (forty eight hours) for recovery before repeating this technique.
6. Always practice under the guidance of an experienced and qualified teacher.



The Golgi Tendon Organ and Facilitated Stretching

Attempting to pull the hands apart in Gomukhasana increases the tension at the muscle tendon junctions of the upper extremities. This affects the muscle tendon junctions of the infraspinatus and teres minor muscles of the rotator cuff as well as the front portion of the deltoid and the upper pectoralis (in the lower arm of the pose). In the upper arm of the pose, the increased tension is felt in the subscapularis muscle of the rotator cuff as well as the latissimus dorsi and teres major.

The firing of the Golgi tendon organ in response to this tension results in the spinal cord signaling these muscles to relax. This relaxation response persists for a brief period even after release of the tension created by pulling the hands apart. The pose can then be deepened by moving the hands closer together and taking up the slack created by the relaxation response.




Figure 1: Attempting to pull the hands apart causes muscles of the shoulders to eccentrically contract. The target muscles are labeled blue for contraction during the period that the hands are pulled apart. The Golgi tendon organs for these muscles signal the spinal cord that tension has increased, and the spinal cord signals the muscles to relax. The slack created by the relaxation response is taken up by drawing the hands closer together.

The back leg in modified Lunge Pose illustrates facilitated stretching of the hip flexors. The knee of the back leg and the foot of the front leg are both fixed on the mat. This means that the force generated by contracting the back leg flexors will manifest as tension at the muscle tendon junction of these muscles. The Golgi tendon organs of the hip flexors will send their signal to the spinal cord which, in turn, will signal the flexors to relax. The slack created by the relaxation response is then taken up by going deeper into the lunge.





Figure 1: The psoas is a flexor of the hip and has been isolated for this illustration. The hip is taken into extension, stretching the psoas. Attempting to drag the back knee towards the front foot causes the stretched psoas to contract eccentrically, stimulating the Golgi tendon organs at its muscle tendon junction. This tension can be increased by contracting the front leg hamstrings and attempting to drag the front foot towards the back knee. The front foot is fixed, so the force of this contraction is transmitted to the back leg psoas, increasing the firing of the Golgi tendon organs of that muscle.






Figure 2: The slack in the flexor group is then taken up by deepening the pose. Activating the front leg psoas flexes the hip, while the hamstrings bend the knee. Pressing down on the front knee with the hand lifts the trunk. All of these actions deepen the pose and lengthen the hip flexors of the back leg.


Combining Biomechanics and Physiology in Stretching

Here we use Janu Sirsasana to illustrate stretching the hamstrings by moving their origins and insertions in combination with techniques we have gained from knowledge of the muscle spindle, reciprocal inhibition and the Golgi tendon organ.




1. Take the general form of the pose to apply a moderate stretch to the hamstring muscles of the straight leg. This stimulates the muscle spindle to fire, resulting in reflex contraction of the hamstrings.
2. Bend the knee to lighten the stretch of the hamstrings, releasing their insertion on the lower leg. Hold this relaxed position for two or three breaths as the muscle spindle accommodates to the lighter stretch.
3. Now that the firing of the muscle spindle has decreased, contract the quadriceps to straighten the knee and draw the hamstrings out to length, moving the insertion at the knee away from the origin. This action signals the hamstrings to further relax via reciprocal inhibition.






4



5

4. Attempt to press the heel into the ground by contracting the hamstrings. This increases tension at the muscle tendon junction and stimulates the Golgi tendon organ to fire. The spinal cord then signals the hamstrings to relax.
5. Contract the quadriceps to straighten the knee and move the insertion of the hamstrings away from the origin. Straightening the knee takes up the "slack" created by the relaxation response. Contracting the quadriceps creates reciprocal inhibition, further relaxing the hamstrings. The psoas tilts the pelvis forward, moving the hamstring origin away from the insertion. Bending the elbows by contracting the biceps bends the trunk forward, deepening the pose.

Muscle Awakening



The motor cortex highlighted here in blue.

Certain muscles become active early in life for movements that we perform regularly. One such muscle is the psoas, a core postural muscle of the pelvis and lumbar spine. We begin using the psoas at around eight months of age when we first flex the trunk to sit up. The brain quickly perceives that this is an activity that we will do regularly and creates circuitry within the motor cortex to perform this task unconsciously. This is because the body seeks to conserve energy. Thinking about something expends energy. Imagine if we had to think about each step before taking it! In fact, we use our postural muscles so frequently that we “forget” how to activate them consciously.

Yoga postures place new demands on the body that are different from activities of daily living (such as sitting up or walking) and activate our conscious awareness of dormant muscles such as the psoas. Once re-awakened, we can consciously bring these muscles into play for new tasks. For example, we can use the newly awakened psoas to deepen and improve the same yoga postures we used to awaken it.

This chapter focuses on the psoas muscle. This is a polyarticular muscle that originates from the lumbar spine, crosses over the pelvis and inserts on the inside of the femur. As a consequence, contracting this important muscle can stabilize the lumbar spine, tilt the pelvis and flex the femur. One of the keys to effectively practicing yoga is to activate the prime movers of a given region—those muscles that most efficiently create the form of the pose. For example, in the pose Trikonasana it is possible to flex the hip by simply bending over the leg using the force of gravity. Trikonasana becomes more precise and beneficial, however, by activating the main flexor of the hip, the psoas.


Body Clairvoyance

The word clairvoyance means “seeing clearly”. Body clairvoyance refers to the ability of the awakened body to anticipate an action and use the most efficient muscles to accomplish it. Practicing yoga creates this type of phenomenon, a feeling of “knowing” what to do. As the energy channels open, the path of the cosmos becomes clear.

Yoga poses can be combined to sequentially activate different parts of the body. The standing poses in this book are arranged in just such a sequence, targeting the psoas and core muscles.

When the brain sees a combination of actions like The Psoas Awakening Series, it begins to automatically use the muscle in unrelated actions. This is analogous to running up a flight of stairs. The first steps are taken consciously but once we get going we ascend unconsciously (and rhythmically). We see this same phenomenon with professional athletes when they practice fundamental movements in their sport and then spontaneously “cut loose” on the field. Put another way, consciously awakening the dormant psoas muscle causes us to then use it unconsciously in new tasks.

I demonstrate this phenomenon in my workshops by finishing the Psoas Awakening Series with an inversion such as full arm balance. Students regularly report a sensation of rock solid stability in their pose. This comes from the unconscious brain automatically activating the newly awakened psoas and stabilizing the pelvis in a new task. Experience this for yourself by practicing an unrelated pose at the end of the series.



The Motor Homunculus

The nervous system allocates brain power according to need. Regions of the body requiring high levels of conscious dexterity have larger representations in the brain, with more circuitry and a greater number of neurons per muscle group. The hands and tongue are examples of such regions. The postural muscles, such as the psoas and gluteus maximus have a much smaller representation.

Scientists have mapped the areas of the brain devoted to given regions of the body, creating what is called a homunculus or "little man". This map is drawn from the motor cortex of the brain (highlighted in blue on the previous page). A similar map exists for sensory function.

Examining the homunculus reveals that the amount of brain power allocated to, the thumb is greater than that for the entire pelvic region. The brain is dynamic and malleable. Although the number of individual neurons does not increase, circuitry is rapidly formed between existing neurons to meet new demands. This is the basis for muscle awakening and body clairvoyance in yoga. As our practice progresses, our body consciousness expands.

Awakening the Psoas

This chapter presents a synergistic combination of standing poses that effectively activates and re-awakens the psoas muscle. We accomplish this by first contracting the psoas in poses that face forward, then in poses that face the side. We complete the series with the twisting postures. In this way, we can sequentially “walk” activation of the psoas around the muscle, progressively awakening it in a slightly different manner with each pose. This creates the phenomenon of body clairvoyance where the brain “anticipates” actions where using the psoas would be beneficial (other yoga poses) and automatically engages it for that activity.

Remembering that since this muscle is usually “hidden” in the unconscious part of the brain, we must first isolate it in each pose and bring it back into conscious awareness. Isometric contraction is one way to isolate and awaken a dormant muscle. This means that the muscle is activated, but instead of being allowed to lengthen or shorten, it is held at a constant length. This technique requires an understanding of the action of the various muscles. For example, the psoas acts to flex the hip, i.e. contracting the psoas either bends the trunk forward or draws the knee up. Isolate and hone your awareness of the psoas by attempting to flex the trunk or attempting to lift the leg. Placing the arm on the knee can be used to accentuate this by resisting the action. To better understand this, refer to the diagram of Trikonasana in Figure 1.

The following pages illustrate a short series of poses that can be used to isolate and awaken the psoas, with insets showing isometric contraction. The full psoas awakening series is illustrated in the standing pose section.




Figure 2: Awakening the dormant psoas begins with a pose such as Trikonasana. In this pose the pelvis faces relatively forward when compared with poses such as Parsvottanasana and Parivrtta Trikonasana. Contracting the psoas in Trikonasana flexes the front hip, tilts the pelvis forward and bends the trunk to the side.




Figure 3: Parsvottanasana progressively turns the pelvis, activating the psoas in a slightly different manner than in Trikonasana. This synergistically “walks” the awakening around the muscle.





Figure 4: Finally, there are the Parivrtta, or revolved, poses such as Parivrtta Parsvakonasana. Revolving poses complete the “walk” around the muscle so that it is completely awakened. At this point in the series, the psoas is usually once more under conscious control and can be contracted at will.

Figure 5: Prasara Padottanasana completes the cycle of psoas awakening with the psoas firmly flexing the hips and bringing the head below the heart into a resting position. Full arm balance is shown to illustrate body clairvoyance.



Recruitment and Bandhas

Gaining awareness of a muscle such as the psoas is relatively straightforward. This is because the psoas can be isolated and activated by flexing the hip. Isometric contraction of the psoas effectively brings it under conscious control.

Other muscles, such as those comprising the pelvic diaphragm are more deeply buried in the unconscious and, by virtue of their more subtle actions are more difficult to isolate. The technique of recruitment can be used to bring about awareness and control of such muscle groups. Recruitment is a process whereby one contracts an easily accessed muscle group while simultaneously contracting "hidden" muscles such as those of the pelvic floor.

Physicians use this technique when examining the integrity of the deep tendon reflexes. For example, in a patient with a weak knee jerk reflex the physician may ask them to grasp their hands together and attempt to pull them apart and then tap the patellar tendon. This creates a rapid stretch in the quadriceps muscle and stimulates the muscle spindle receptor. The result is a signal to the quadriceps to contract. Combining the patellar tap with pulling the hands apart causes the quadriceps contract more forcefully. This technique is known as recruitment.

Figure 1: Contracting the biceps to press the hands together can be combined with contracting the pelvic floor muscles to create a more powerful Moola Bandha.



Bandha is a Sanscrit word meaning “lock” or “bind”. In the Bandhas, we contract certain muscle groups to create an energy “lock” in the body. Classically, this refers to the three major Bandhas--Moola Bandha, Uddiyana Bandha and Jalandhara Bandha. Moola Bandha involves contracting the muscles of the pelvic floor to lift and tone the pelvic organs and illuminate the First and Second Chakras.

Recruitment is a particularly useful aid for awakening the difficult to access muscles of the perineum and pelvic diaphragm that create Moola Bandha. It can be performed in virtually any yoga pose by contracting a muscle group that is easy to access and combining this action with contracting the muscles of the perineum (also known as the Kegel maneuver). Try this by combining pressing the hands together in Utkatasana and contracting the muscles of the pelvic floor. Notice how much more powerful Moola Bandha feels. Figures 1 and 2 illustrate this process in the poses Utkatasana and Marichyasana III.




Figure 2: Contracting the triceps to straighten the elbows and draw the hands apart in Marichyasana III is another way to recruit the difficult-to-access muscles of the pelvic floor and create a powerful Moola Bandha.

Zen Buddhism and Awakening: The Ten Bull Pictures

The Ten Bull Pictures is a Buddhist parable that illustrates the stages of awakening to hidden potential. The story uses a series of pictures to tell the story of a student seeking, finding and integrating knowledge of the self. The images use a bull as the symbol of this knowledge. The bull itself eventually disappears but the knowledge remains and becomes part of the individual.

Practicing yoga follows a similar sequence. Yoga is the yoke that connects us to the bull. Hatha yoga re-awakens body consciousness and re-establishes the mind body connection. The Ten Bull Pictures provides a metaphor for this process.

1. Searching for the bull.
First, one learns that the psoas exists.



2. Discovering the footprints of the bull.
One gains 'head knowledge' of the muscle function.



3. Seeing the bull.

One experiences the 'body knowledge' of the muscle.
This is the first 'twitch' of activation.




4. Catching the bull.

Using conscious control, it is now possible to regulate,
in rough fashion, the force of contraction.



5. Taming the bull.


Functional regulation of contraction
and relaxation becomes refined.



6. Riding the bull.
One can now activate the muscle at will.
This is the beginning of "body clairvoyance".




7. The bull transcended.
The muscle now automatically activates whenever
needed and exactly as needed—no more, no less.
This is body clairvoyance.



8. Both bull and self transcended.
Integration. Rest. Connection. Savasana.



9. Returning to the source.
The knowledge is now consolidated
and the circuitry unlocked.



10. In the world with knowledge integrated
The cycle begins again,
each time more exquisite, each time more arduous.
But we know the process and the way.

part two: practice

Preparatory Poses	36
Sun Salutations	50
Standing Poses	54
Hip Openers	87
Forward Bends	99
Twists	121
Back Bends	131
Arm Balances	147
Inversions	165
Restorative	179

Preparatory Poses

Preparatory poses apply a targeted stretch to a specific region of the body, such as the shoulders or hips, focusing on an elemental movement such as flexion of the shoulders or rotation of the hips. The goal is to create increased range of motion in an area of the body, then integrate this into the poses.

The preparatory poses can be used as a general stretch prior to or during practice, or to prepare the body for a specific pose. For example, deconstructing Eka Pada Raja Kapotasana (Pidgeon Pose) reveals that the front hip is turning outward, the back hip is extending and the shoulders are fully flexing over the head (Figures 1, 2, and 3).

The following pages illustrate several preparatory poses that increase the range of motion for these regions of the body, preparing for Eka Pada Raja Kapotasana. Additional examples of preparatory poses conclude this chapter.




Figure 1: The front hip rotates externally. Muscles limiting external rotation include those that internally rotate the hips. These are the gluteus medius, gluteus minimus, and tensor fascia lata. Creating length in these muscles allows the hip to turn out more, deepening this aspect of the pose.

Figure 2: The back hip extends. Muscles limiting extension include the hip flexors. These are the psoas, pectineus, adductor longus and brevis, rectus femoris and sartorius. Creating length in these muscles frees the hip to extend more deeply.





Figure 3: The shoulders and arms flex or rise over the head to grasp the belt (or foot in the final pose). Muscles limiting shoulder flexion include those that extend the shoulders. These are the latissimus dorsi, teres major, the back portion of the deltoid, and the lower part of the pectoralis major. Creating length in these muscles frees the shoulders and arms to reach back further over the head.



Gomukhasana Shoulder Stretch

Figure 4: The lower shoulder extends and turns inward (internally rotates), stretching the infraspinatus, teres minor, and rotatory fibers of the posterior deltoid. Contracting the latissimus dorsi, teres major, subscapularis, and pectoralis major draws the lower shoulder further up the back, intensifying the stretch.








Figure 5: The upper shoulder flexes and turns outward (externally rotates), stretching the teres major, latissimus dorsi, pectoralis major and the subscapularis muscles. Contracting the infraspinatus, teres minor, and anterior (front) part of the deltoid draws the hands closer, intensifying the stretch. Attempting to draw the hands apart for a few moments facilitates the stretch by stimulating the Golgi tendon organs. The hands can then be drawn closer together.




Hip Internal Rotator and Extensor Stretch



Figure 6: The hip flexes, externally rotates, and is drawn across the body (adduction), stretching the tensor fascia lata, gluteus medius, and extensor fibers of the gluteus maximus. Contracting the lower back muscles draws the pelvis forward, and bending the elbows draws the lower leg into the chest. These actions combine to intensify the stretch. It is important to always protect the knee of the leg that is cradled, maintaining the joint in its natural congruity as a hinge.







Psoas and Quadriceps Stretch

Figure 7: The back hip extends and the knees flex, stretching the psoas, pectineus, rectus femoris, sartorius and adductors longus and magnus. Contracting the back leg gluteals intensifies the stretch of the hip flexors. Bending the front knee, flexing the front hip, and lifting the torso also intensifies the stretch. Attempting to draw the back knee toward the front foot for a few moments creates a facilitated stretch, stimulating the Golgi tendon organs of the muscles that are stretching.





Garudasana Arms and Shoulders




Figure 1: The shoulders reach across the front of the body (adduct), stretching the supraspinatus, rhomboids and back portions of the deltoids. Contracting the pectoralis major, latissimus, and teres major intensifies this stretch. Pressing the elbows together for a few moments creates a facilitated stretch in this pose, stimulating the Golgi tendon organs of the muscles that are stretching.





Figure 2: The shoulders reach across the front of the body (adduct), stretching the back portions of the deltoids, supraspinatus, and rhomboids. Contracting the pectoralis major, latissimus, and teres major intensifies this stretch. Pressing the elbows together for a few moments creates a facilitated stretch in this pose, stimulating the Golgi tendon organs of the muscles that are stretching.

Shoulder Extensor Stretch (with chair)



Figure 1: The shoulders flex deeply, reaching the arms overhead. This action stretches the shoulder extensors, including the latissimus dorsi, back portion of the deltoids, teres major, and the sternal portion of the pectoralis major. Contracting the biceps, the front portion of the deltoids, rectus abdominus, and hamstrings intensifies this stretch. Pressing the elbows into the chair creates a facilitated stretch in this pose, stimulating the Golgi tendon organs of the muscles that are stretching.




Figure 2: This stretch prepares the body for poses that have the arms over the head, such as Urdhva Danurasana and Downward Facing Dog Pose.

Shoulder Flexor Stretch





Figure 1: The shoulders extend away from the back of the body, stretching the shoulder flexors including the pectoralis major, front portion of the deltoids, and the biceps brachii. Contracting the triceps, back portion of the deltoids, latissimus dorsi, rectus abdominus and hamstrings intensifies this stretch.

Figure 2: This is a preparatory pose for poses that have the shoulders extended, such as Purvottanasana.




Attempting to drag the hands toward the buttocks creates a facilitated stretch in this pose, stimulating the Golgi tendon organs of the muscles that are stretching.

Surya Namaskar

Sun Salutations

The Sun Salutations are a combination of poses practiced in series, successively deepening each pose with each repetition. It is typically performed at the start of the practice, classically upon awakening in the morning. In this way, the Sun Salutations can be viewed as a type of warm-up for the full practice.

Heat is generated in the body, raising the core temperature and causing the blood vessels on the body surface to dilate. Vasodilatation combines with sweating to dissipate the heat and regulate the core temperature of the body. Sweating also releases toxins from the body.




The increased heat raises blood flow to the muscles and makes the tendons and ligaments more pliable. Synovial fluid circulates in the joints, carrying nutrients to the articular cartilage and removing debris from the joint space.

The brain creates “set lengths” for muscles based on regular activity. Sitting in a chair or riding a bicycle on a regular basis signals the brain to set the length of the muscles about the hips for flexion. Consistent practice of yoga lengthens the muscles, improving range of motion throughout the body. This creates new “set lengths” in the brain. Muscles tend to shorten when we sleep, accounting for “stiffness” in the morning. The Sun Salutations are a variation of ballistic stretching. Use this type of stretch to take the muscles back out to the length that was set in the brain during your previous practice.



The Sun Salutations alternately contract and relax groups of muscles. This creates a "pumping" action in the veins and improves return of blood to the heart. The chambers of the heart fill to an optimal level and cardiac output increases. More blood circulates to the vital organs, including the liver and kidneys. Sweating increases as well, aiding to detoxify the blood.






Figure 1: Pectoralis minor lifting the chest.




Figure 2: Rhomboids drawing the shoulders together.





Figure 3: Pectoralis minor and rhomboids working in unison to open the chest.

The Accessory Muscles of Breathing


Combining breath and body movement is a fundamental concept for practicing yoga. The diaphragm and accessory breathing muscles move air in and out of the lungs. This action oxygenates the blood and removes carbon dioxide. The rate and depth of breathing also aids to regulate the pH of the tissues. Flow of the breath is regulated in the pharynx at the level of the glottis. Partial closure of the glottis increases air flow turbulence. This action brings more of the air into contact with the blood-rich mucosa of the nasal passages, warming the breath.

Breathing is among the most primitive of body functions. It is controlled and regulated by primal regions of the brain. We tap into these powerful regions of the brain by focusing on our breathing and combining it with the movements of yoga.


The images on this page illustrate how to open the ribcage using the accessory muscles of breathing. This technique is known as “bucket handle” breathing.



Tadasana
Mountain Pose
Page 56




Uttanasana
Intense
Forward-Bending Pose
Page 58



Vrksasana
Tree Pose
Page 60



**Utthita
Trikonasana**
Extended Triangle Pose
Page 62



Virabhadrasana II
Warrior II
Page 64




**Utthita
Parsvakonasana**
Extended Lateral
Angle Pose
Page 66



**Ardha
Chandrasana**
Half Moon Pose
Page 68



Parsvottanasana
Intense Side
Stretch Pose
Page 70



Virabhadrasana I
Warrior I
Page 72

Standing Poses



Virabhadrasana III
Warrior III
Page 74



**Parivrtta
Trikonasana**
Revolving Triangle Pose
Page 76



**Parivrtta
Parsvakonasana**
Revolving Lateral
Angle Pose
Page 78



**Prasarita
Padottanasana**
Spread Feet Intense
Stretch Pose
Page 80



Garudasana
Eagle Pose
Page 82



Utkatasana
Chair Pose
Page 84

Tadasana	56
Uttanasana	58
Vrksasana	60
Trikonasana	62
Virabhadrasana II	64
Utthita Parsvakonasana	66
Ardha Chandrasana	68
Parsvottanasana	70
Virabhadrasana I	72
Virabhadrasana III	74
Parivrtta Trikonasana	76
Parivrtta Parsvakonasana	78
Prasarita Paddottanasana	80
Garudasana	82
Utkatasana	84



Tadasana: Mountain Pose

Tadasana is the pose that precedes and follows the other standing poses. It is as though we have climbed to a plateau to gauge the transformative effects of our practice and collect our muscle-thoughts before continuing our ascent.

Synergizing/Activating

Pelvis and Legs

1. The muscles that keep the pelvis upright, like a bowl, are located front and back. At the front of the pelvis is the psoas and at the back, the glutei or buttock muscles. The pelvis is kept balanced because the psoas flexes the thigh, and the glutei make the thigh lengthen, or extend. These two muscles balance each other.
2. If the legs tend to turn outward, the tensor fascia lata and the front part of the gluteus medius muscles at the front and highest point of the hip bones work to turn them inward.
3. The quadriceps muscles down the front of the thighs shorten to straighten the knees.
4. The calf muscles are working quietly to balance the ankles on the feet, the bedrock of the mountain pose.
5. And all this time, the muscles on the top and bottom of the foot balance each other, grounding the pose.



Trunk

1. The erector spinae (deeper back muscles) extend from the skull to the base of the spine and work with the muscles in the small of the back to lift the spine and hold you upright.
2. The abdominal muscles (running down the front of the trunk) work with the back muscles to support and balance the torso. Together, they create a tube around the torso and draw the rib cage downward.

Shoulders and Arms

1. The lower part of the trapezius, which spans the back, draws the shoulders down and away from the ears, lifting the chest.
2. The muscles connecting the shoulder blades to the spinal column, the rhomboids, combine with the middle part of the trapezius to draw the shoulder blades towards the midline. This action opens the front of the chest.
3. The pectoralis minor muscle contracts in a closed-chain fashion to lift the lower ribs and open the chest.
4. Two muscles, the infraspinatus and teres minor, connect the shoulder blade to the upper arm bone and roll the arms outward.
5. The triceps straighten the elbows.

Inset: The muscles of the pelvic diaphragm are active, creating Moola Bandha and toning the organs of the pelvis.



Uttanasana: Intense Forward-Bending Pose

Uttanasana is a symmetrical pose, offering the opportunity to identify asymmetry and imbalances between the two sides of the body. It is also a form of inversion, since it takes the head below the heart and is used during periods of rest in the practice.


Synergizing/Activating


Pelvis and legs


1. The psoas, pectineus, and rectus femoris flex the hips and tilt the pelvis slightly forward.
2. The front part of the gluteus medius and the tensor fascia lata combine to turn the hips slightly inward so the kneecaps face directly forward.
3. The quadriceps, the large muscles down the front of the thighs, contract to straighten the knees. This action creates reciprocal inhibition, relaxing the muscles on the back of the thigh (the hamstrings).
4. The thighs are drawn together by the adductor muscles on the inside of each thigh.

Trunk and Shoulders and Arms

1. The large band-like muscle on the front of the abdomen, the rectus abdominus, contracts to bend the trunk forward.
2. The lower part of the trapezius, which spans the back, draws the shoulders away from the neck.
3. The front part of the deltoids moves the shoulders forward. The biceps bend the elbows. When the hands are fixed on the ground, these actions push the trunk deeper into the pose.







Vrksasana: Tree Pose

As the name suggests, this standing pose involves balancing on one leg with the arms together and reaching skyward, like a sapling. It is considered the easier of the one-legged balancing poses because the bones of the upper body are stacked over the long bones of the standing leg. This leaves the trunk muscles and other muscle groups with less work when balancing the limbs.

Synergizing/Activating


Standing Leg

1. The gluteus maximus in the buttocks works with the psoas (located high at the front of the thigh) to balance the pelvis from front to back.
2. The gluteus medius on the outside of the pelvis and the adductor group on the inside of the thigh balance the pelvis from the outside to the inside.
3. The quadriceps down the front of the thigh shortens to straighten the knee.
4. Calf muscles, the peronei and tibialis anterior, and the toe flexors work in concert to stabilize the foot.

Trunk

1. The erector spinae, stretching from the skull to the backbone near the pelvis, hold the spine upright. They form a muscular column that works with the quadratus lumborum in the small of the back to lift the spine.
2. The rectus abdominus, tethers the rib cage to the pelvis.





Shoulders and Arms

1. The lower trapezius, which spans the back, draws the shoulders downward.
2. The middle trapezius and rhomboids draw the shoulder blades toward the spine, opening the front of the chest.
3. The upper trapezius in the back and the anterior deltoids at the front of the shoulders lift the arms.
4. The triceps straighten the elbows.



Utthita Trikonasana: Extended Triangle Pose


Trikonasana creates a series of triangles with the body. These actions result in a powerful stretch of the front leg hamstrings with a secondary stretch of the back leg hamstrings and gastroc-soleus muscles. It also stretches the upper side abdominal and back muscles.

The upper side shoulder and upper arms have "open chain" movement, creating proprioceptive awareness of the arm in space. The lower side hand is fixed on the floor or leg, giving leverage to open the chest.

Synergizing/Activating


Pelvis and Legs

1. The front and back leg quadriceps contract, extending the knees and stretching the lower region of the hamstrings.
2. The front leg psoas flexes the hip and tilts the pelvis forward. This tilts the ischial tuberosity back, stretching the upper part of the front leg hamstrings.
3. The back leg gluteus maximus extends the hip.
4. The tibialis anterior of the back leg dorsiflexes the ankle, drawing it towards the shin.
5. The peroneus longus and brevis on the outside of the front shin activate, pressing the ball of the foot into the floor.



Trunk


1. The erector spinae, running along the length of the spine are active, with the upper side turning the trunk slightly upwards.
2. Muscles on the lower side of the abdomen, the obliques, activate to turn the torso upward. This action lengthens the obliques on the upper side of the trunk.




Inset: combining activation of the front leg psoas and the back leg gluteus maximus. This action creates a wringing effect across the pelvis, stabilizing the pose.

Shoulders and Arms

1. The rhomboids retract the scapulae, drawing them towards the midline and opening the chest.
2. The middle portions of the deltoids abduct the shoulders, drawing them away from the trunk.
6. The lower third of the trapezius activates to draw the shoulders away from the neck.
7. The triceps extend the elbows, straightening the arms.






Virabhadrasana II: Warrior II

This version of the Warrior pose has the pelvis facing towards the front. The reader may note that the progression of the standing poses in this book has the pelvis facing forward, then to the side, and finally turning. This sequence progressively “walks” the effect of the poses around the core muscles of the pelvis, especially the psoas.

Synergizing/Activating

Pelvis and Legs

1. The back-leg buttock muscles extend and externally rotate the hip.
2. The back-leg adductor magnus extends the thigh bone and helps stabilize the foot on the floor.
3. The tensor fascia lata and gluteus medius turn the thigh bone inward, balancing the turning-out force of the gluteus maximus.
4. The quadriceps straightens the back knee.
5. The muscle along the front of the shin, the tibialis anterior, bends the back ankle upward, stretching the calf muscles and those along the outside of the calf.
6. The muscle high on the front of the front hip, the pectineus, works with the psoas to bend the hip. A muscle mid-thigh, the sartorius, works to refine this action.
7. The front leg quadriceps contract to support the body weight.
8. Muscles along the outside of the front leg calf, the peronei, turn the ankle slightly outward, everting it. The net effect of this action is to press the ball of the foot down.
9. The gastrocnemius and soleus press the sole of the foot into the floor.




Trunk

1. The erector spinae (muscles that flow the length of the spine) and the quadratus lumborum (in the lower back) lift the back and arch it slightly.
2. The muscle down the trunk from the chest to the pubic bone, the rectus abdominus, contracts slightly to protect the lower back.

Shoulders and Arms

1. The deltoids raise the arms and draw them slightly backward to open the chest. The supraspinatus muscle of the rotator cuff initiates the action of raising the arms.



Inset: The erector spinae muscles lift the torso and the rhomboids draw the scapulae towards the midline.

2. The middle portion of the trapezius and the rhomboids draw the shoulder blades toward the midline. Stabilizing the shoulder blades and then activating the pectoralis minor muscle lifts the ribs and expands the chest.
3. The lower portion of the trapezius draws the shoulders down the back, away from the ears, freeing the neck.
4. The muscles along the back of the upper arm, the triceps, straighten the elbows.



Utthita Parsvakonasana: Extended Lateral Angle Pose

This is one of the standing poses in which the pelvis faces in the forward direction, tending to be parallel to the front plane of the body. It is the natural next step from Warrior II, with one hand placed on the floor and the other stretching upward over the head.


Synergizing/Activating

Pelvis and Legs

1. The back-leg buttock muscle extends the hip and turns it outward.
2. The adductor group of muscles on the inside of the thigh extend the femur and draw the leg towards the midline, stabilizing the back foot on the floor.
3. The tensor fascia lata and gluteus medius turn the hip inward. This balances the strong outward pull by the large buttock muscle.
4. The quadriceps, the muscles along the front of the thigh, straighten the back knee.
5. The muscle along the front of the shin, the tibialis anterior, draws the ankle toward the shin, which stretches the calf muscles and the muscles along the outside of the calf, the peroneus longus and brevis.
6. The psoas and pectineus muscles bend the hip of the front leg. The muscle crossing diagonally over the midline of the thigh, the sartorius, refines this action.
7. The quadriceps of the front leg activates to support the body weight.
8. The peroneus muscles along the outside of the front leg calf turn the ankle slightly outward, everting it. The gastrocnemius/soleus presses the foot into the floor by flexing the ankle.

Trunk

1. The lower side abdominal oblique and transversus muscle draws the trunk towards the bent leg, stretching the same muscles on the upper side of the trunk.
2. On the lower side, the muscles along the spine and those in the lower back (the erector spinae and quadratus lumborum) bend the trunk to the side, stretching the corresponding muscles on the upper side.



Shoulders and Arms


1. The muscle attached to the side of the ribs and the shoulder blade—the serratus anterior—straightens the lower-side arm, drawing the same-side shoulder blade away from the midline and pressing the hand to the floor.
2. The triceps straighten the elbows.
3. The back portion of the deltoid on the lower arm draws the arm away from the midline. Since the hand is fixed on the floor, this action turns the chest upwards and opens it.

4. On the lower side, the muscle that wraps the kidneys and underarm ribs (the latissimus dorsi) opens the chest through a closed-chain contraction. This occurs because the insertion of this muscle on the upper arm remains fixed, with the origin on the lower back moving, lifting the chest.
5. Muscles over the shoulder blades, the infraspinatus and teres minor, turn the arm outward.
6. The lower section of the trapezius draws the shoulders away from the ears, freeing the neck.



Ardha Chandrasana: Half Moon Pose

In this pose, the body weight is on one leg with one hand extended and touching the floor. The other leg is extended parallel to the floor and acts as an active counterbalance. Freely interpreted, the pose carves a half moon; ideally, it hangs quietly in the sky. All limbs must remain on the same plane because tipping the leg backwards will cause loss of balance. The Half Moon requires some knowledge of the core pelvic muscles and how to engage them so the leg can move freely.



Synergizing/Activating

Standing Leg



1. The psoas and pectineus tilt the hip slightly forward. One of the muscles that crosses the hip and runs down the front of the thigh—the rectus femoris—works in concert with the other two muscles to stabilize the leg. The sartorius, a muscle that runs down the front of the thigh at an angle, further stabilizes the pose.
2. The quadriceps straightens the knee.
3. The calf muscles, the gastrocnemius and soleus eccentrically contract to press the foot down, grounding the pose.

Lifting Leg

1. The muscles originating from the side of the pelvis, the gluteus medius, gluteus minimus and the tensor fascia lata, lift the leg parallel to the floor.
2. The gluteus maximus in the buttock works with the psoas high at the front of the thigh to keep the hip from swaying front to back.
3. The quadriceps straightens the knee.
4. The tibialis anterior and peronei muscles along the shin and the calf engage to stabilize the foot.

Trunk

1. On the lower side of the body, erector spinae (deep back muscles) bend the trunk over the standing leg, stretching the upper side.
2. Muscles angling over the abdomen from the side, the oblique abdominals, enable the lower side trunk to bend toward the standing leg.



Inset: The deep external rotators of the hip aid to stabilize the standing leg from the core.

Shoulders and Arms

1. The muscle that runs from the side of the rib cage to the edge of the shoulder blade, the serratus anterior, helps to push off the floor.
2. The muscle running from the lower back to the upper arm, the latissimus dorsi, contracts in a “closed-chain” fashion. This means that it slightly arches the back and opens the chest, rather than moving the arm.
3. The triceps straighten the elbows.
4. The muscles over the curve of the shoulders, the side deltoids, lift the arms away from the sides.
5. The middle and lower parts of the trapezius spanning the back shorten to open the chest and draw the shoulders away from the neck.





Parsvottanasana: Intense Side Stretch Pose

Parsvottanasana intensely stretches the muscles at the back of the thighs and two muscles in the calf of the back leg, the gastrocnemius and soleus. Placing the hands in Namaste behind the back rotates the shoulders inward and intensely stretches the muscles that turn the bone in the upper arm outward, the infraspinatus and teres minor.

Synergizing/Activating

1. The pectoralis major works with the subscapularis and teres major to turn the upper arm bone inward and stretch the external rotators of the shoulder, the infraspinatus and teres minor.
2. Muscles spanning the upper back, the middle trapezius and rhomboids, pull the shoulder blades towards the spine to open the front of the chest.
3. The lower trapezius draws the shoulders down the back, freeing the neck.
4. The rectus abdominus bends the trunk toward the thigh.
5. The psoas works two ways: in the front hip, it helps it bend, while it holds the back hip steady, stabilizing the extended leg.
6. The buttock muscles extend the thigh bone of the back leg. The back foot is fixed on the mat. Thus, the energy from extending the thigh bone is felt at the back of the knee, increasing the stretch of the hamstrings and the calf muscles down the length of the back leg.
7. The quadriceps of both legs straighten the knees.
8. The muscle beside the shin of the back leg, the tibialis anterior, shortens to allow that ankle to bend towards the shin, enabling the calf muscles to stretch more.





Inset: illustrating the stretch of the external rotators of the shoulder through internal rotation of the humerus.



Virabhadrasana I: Warrior I

This fundamental standing pose is a type of lunge with the torso extending and the chest opening upward. Though still, it suggests disciplined muscle energy, waiting to be unleashed.

Synergizing/Activating

Pelvis and Legs

1. The buttock muscle of the back leg extends and turns the hip outward.
2. The tensor fascia lata works with the gluteus medius to move the femur away from the center line (abduction). At the same time, they offset the action of the buttock muscle in turning the hip, in its socket, outward by rotating the thigh bone inward.
3. The large muscle along the inside of the thigh, the adductor magnus, extends and moves the thigh bone toward the center line.
4. The quadriceps straightens the knee.
5. The muscle along the front of the shin, the tibialis anterior, shortens to allow the ankle to bend and stretches the back leg calf muscles, as well as those along the outside of the shin, the peroneus longus and brevis.
6. At the same time, the front leg bends at the hip, aided by the shortening of the psoas and the pectineus. Balance is assisted by the sartorius bending the hip and turning the thigh outward.
7. The front leg quadriceps muscles contract to support the body weight.
8. Muscles along the outer aspect of the shin, the peroneus longus and brevis, turn the ankle and the front foot slightly outward, pressing the ball of the foot into the floor.
9. The calf muscle presses the sole of the foot into the floor.






Trunk

1. The erector spinae muscles, stretching from the skull down to the backbone near the pelvis, work with the quadratus lumborum muscle in the lumbar spine to lift the back and arch it slightly.
2. The rectus abdominus is engaged to contract slightly, helping protect the lower back.

Shoulders and Arms


1. The lower part of the trapezius muscle, which spans the back, draws the shoulders down the back, freeing the neck.
2. The muscles running from the side of the rib cage to the shoulder blade, the serratus anterior, turn the lower edge of the shoulder blade outward. This action moves the socket part of the shoulder joint under the head of the humerus (in the shoulder joint).
3. The infraspinatus and teres minor roll the arm bones outward, opening the chest.
4. The front part of the deltoids activates and shortens to raise the arms.
5. The triceps straighten the elbows, while assisting the serratus anterior in rotating the scapula, or shoulder blade. This action assists in preventing impingement of the humeral head on the acromion process of the scapula.





Virabhadrasana III: Warrior III

This variation of the Warrior involves balancing on one leg with arms extended forward, palms together, suggesting a loosed arrow. One can also see the progressive rotation of the pelvis from facing the front in Warrior II to turning toward the side in Warrior I to turning to be square with the floor in Warrior III.



Synergizing/Activating

Standing leg

1. The psoas muscle, deep in the hip, combines with the pectineus, at the top and front of the thigh; together they bend the hip at a right angle to the standing leg.
2. The gluteus medius muscle in the buttock draws the pelvis square.
3. The tensor fascia lata along the outside of the hip prevents the leg from turning outward by providing gentle opposition toward the inside. It also aids in straightening the knee.
4. The quadriceps at the front of the thigh straightens the knee.
5. The peroneus longus and brevis muscles along the outside of the shin press the inside of the sole of the foot into the floor.

Lifting leg

1. The gluteus maximus and posterior fibers of the gluteus medius in the buttock lift the leg.

2. The tensor fascia lata along the outside of the hip works with the anterior fibers of the gluteus medius in the buttock to turn the thighbone inward, preventing the foot from turning out because of the strength of the large buttock muscle, the gluteus maximus.
3. The erector spinae cooperate with the quadratus lumborum in the small of the back to lift the pelvis.
4. The quadriceps along the front of the thigh straightens the knee.
5. The gastrocnemius/soleus calf muscles and the tibialis anterior and peronei on either side of the shin work in concert to stabilize the ankle and foot.


Trunk

1. The erector spinae back muscles and quadratus lumborum in the small of the back lift the spine. The rectus abdominus running from the chest down to the pubic bone creates a sheath around the torso to stabilize it.

Shoulders and Arms

1. The upper trapezius spanning the back draws the shoulder blades toward the midline and down the back. It also aids in lifting the arms.
2. The infraspinatus and teres minor muscles connecting the shoulder blade to the upper arm bone, the humerus, turn that bone outward. This helps in preventing the arm bone from coming into contact with the acromion, a bony structure on the scapula that forms a joint with the collarbone.

3. The anterior deltoids over the front of the shoulder lift the arms.
4. The triceps straighten the elbows.







Parivrtta Trikonasana: Revolving Triangle Pose

The Revolving Triangle is a pose that connects the opposite-side hand to the foot, transmitting a twist across the trunk and spine. The core muscles of the shoulder turn the trunk in the opposite direction of the hips, creating the twist.

Synergizing/Activating

1. The front leg psoas conspires with the back leg buttock muscles to create a wringing effect across the pelvis, thus stabilizing the pose.
2. The same psoas works with a muscle connecting the thigh bone to the pubic bone, the pectineus, and the adductor muscles to bend the front-leg hip.
3. Meanwhile, the back-leg buttock muscle extends the leg behind the body and turns it outward.
4. The large inner thigh muscle of the back leg, the adductor magnus, presses that thigh bone back and draws it in toward the center line.
5. The quadriceps straightens the knees.
6. In the back leg, the muscle along the edge of the shin (the tibialis anterior) turns the ankle slightly inward, drawing the top of the foot towards the shin. This action stretches the muscles in the back of the calf.
7. The triceps straighten the elbows.
8. A muscle at the side of the rib cage and connected to the shoulder blade, the serratus anterior, draws the lower arm shoulder down to the foot.
9. The back portion of the lower arm deltoid persuades the trunk to turn farther into the twist by drawing the chest forward.
10. Muscles connecting the shoulder blade to the spine (the rhomboids) and the back portion of the deltoid draw the upper side of the trunk deeper into the twist.





Inset: Stretch of the deep external rotators of the hip through internal rotation of the femur.





Parivrtta Parsvakonasana: Revolving Lateral Angle Pose (Lunge Variation)

Parivrtta Parsvakonasana turns the pelvis and trunk in opposite tilt. This action creates a stretch of the core muscles surrounding the spine. Stabilize this pose by activating the front leg's psoas and the back leg's large buttock muscle, the gluteus maximus. The result is a "wringing" effect across the pelvis, where there is pull and counter-pull from the muscles, ligaments and tendons around the pelvis. Pushing off with the back foot and resisting with the front foot further stabilizes the pose.

Synergizing/Activating

1. The muscles on the inside and front of the front hip/thigh work together to bend that hip. These are the psoas, pectineus and anterior adductors.
2. Muscles along the outside of the front hip and those beside the large buttock muscle cooperate to press the knee against the elbow, aiding in the turn of the pose. These are the tensor fascia lata and gluteus medius.
3. The muscles along the outside of the lower leg, the peronei, help press the ball of the front foot downward and turn the ankle slightly outward everting it.
4. The large buttock muscle, the gluteus maximus, moves the back hip to the rear and turns it outward.
5. The back hip is pressed farther back and also drawn toward the midline by the large muscle along the inside of the thigh, the adductor magnus.
6. The quadriceps straightens the back knee.





7. The back portion of the deltoid of the lower arm deepens the twist by extending the shoulder. This action presses the elbow onto the knee and opens the lower half of the chest.
8. The pectoralis major and biceps brachii of the upper arm work to deepen the twist by pressing the upper palm into the lower palm. This force is transmitted into the lower elbow at the knee, further leveraging the twist and opening the chest.
9. The superficial muscles that angle across the abdomen, the oblique abdominals, twist the trunk and spine.




Prasarita Padottanasana: Spread Feet Intense Stretch Pose


Prasarita Padottanasana is a symmetrical standing pose in that both sides of the body are activated and stretched equally. This type of pose shows you the areas of the body that are not equal in flexibility. Once these areas are identified, activate the appropriate muscles to work towards symmetry.

Synergizing/Activating

1. The hips are bent by the psoas, pectineus and rectus femoris muscles at the front of the thigh.
2. The quadriceps muscles along the front of the thighs straighten the knees.
3. The tibialis anterior muscles along the front of the shin turn the feet in slightly.
4. The tibialis posterior muscles, running on the inside of the ankles help lift the arches.
5. The muscles along the bottom of the feet at the great toes, the flexor hallucis longii, press the fleshy part of the toe against the floor to aid in stability and draw the weight forward.
6. The rectus abdominus muscle, flowing from the chest to the pubic bone, bends the trunk forward.



7. The lower section of the trapezius draws the shoulders away from the ears, freeing the neck.
8. The front portion of the deltoids activates to lift the shoulders and the upper arm muscles, the biceps and brachialis bend the elbows. When the hands are fixed on the mat, this action draws the trunk deeper into the pose.
9. The wrist and finger flexor muscles press the hands into the floor, stabilizing the pose.



Inset: activating the deltoids and the biceps to draw the trunk deeper into Prasarita Padottanasana.



Garudasana: Eagle Pose

This pose involves balancing on one leg while the arms and legs are wrapped in a position not normally seen by the brain. As such, it is effective for training in balance and coordination.

Synergizing/Activating

Pelvis and Legs

1. The standing leg peronei evert the ankle to press the inside of the foot down, aiding in balancing.
2. The wrapping leg peronei evert the ankle to create a hook around the lower standing leg.
3. The gastrocnemius/soleus of the calf flexes the standing leg ankle to press the foot down, stabilizing the pose.
4. The adductor group squeezes the thighs together.
5. The tensor fascia lata and gluteus medius rotate the femurs internally.
6. The psoas flexes the hips.



Trunk

1. The erector spinae and quadratus lumborum lift the back.
2. The rectus abdominus provides a counterforce to the erector spinae, stabilizing the pelvis.

Shoulder and Arms

1. The pectoralis major adducts the arms and shoulders across the chest.
2. The upper arm posterior deltoid contracts. This causes the upper arm to press down on the lower. The deltoid is contracting while in a stretched position, which is eccentric contraction. This action deepens the stretch of the rotator cuff in this pose.
3. The posterior deltoid of the lower arm is stretching while the anterior portion activates to press the lower elbow up, thus squeezing the elbows together.
4. The serratus anterior draws the scapulae forward, stretching the middle trapezius and rhomboids.







Utkatasana: Chair Pose


Utkatasana is one of the symmetrical standing poses and is a natural progression from the Mountain Pose, Tadasana. It suggests potential energy to be unleashed. Utkatasana strengthens a number of the core muscle groups including the muscles that flex the pelvis, the quadriceps and the lower back muscles.



Synergizing/Activating

Pelvis and Legs

1. The hip flexors, including the psoas, pectineus, rectus femoris and sartorius hold the femurs in a slightly flexed position. The gluteus maximus counters this action. This combination of flexion and extension of the pelvis stabilizes the pose.
2. The quadriceps are active, holding the knees in partial flexion.
3. The adductor group draws the knees together.
4. The tibialis anterior muscles draw the top of the feet towards the shin.
5. The gastrocnemius and soleus muscles eccentrically contract to ground the sole of the feet on the floor.





Trunk

1. The quadratus lumborum activates to arch the lower back. The erector spinae muscles synergize this action.
2. The psoas provides a counterbalance to the lower back muscles, aiding to protect the lumbar spine.
3. The rectus abdominus is active, tethering the ribcage to the pelvis and preventing the ribs from bulging forward in the pose.

Shoulder and Arms

1. The middle trapezius and rhomboids combine to draw the scapula towards the mid-line of the back and open the chest.
2. The lower portion of the trapezius draws the shoulders away from the neck, freeing the cervical spine to extend.
3. The infraspinatus turns the shoulders outward.
4. The anterior deltoids activate to lift the arms over the head.
5. The triceps extend the elbows.

Hip Openers



Baddha Konasana	88
Supta Padangusthasana Bent Knee Version	90
Supta Padangusthasana A	92
Supta Padangusthasana B	94
Supta Padangusthasana Revolving Variation.	96





Baddha Konasana: Caught or Bound Angle Pose

Baddha Konasana connects the upper and lower appendicular skeletons by grasping (binding) the feet with the hands. The hips flex and turn outward and the knees bend and move away from each other. This action stretches the adductor group of muscles along the inside of the thighs. The upper arms, shoulders and back form a chain that links the hands and feet. Work with these structures to tighten the “bind” and deepen the pose.

Synergizing/Activating

1. The biceps brachii and brachialis (muscles down the front and inside of the upper arm) bend the elbows, drawing the feet upward and opening the pelvic region.
2. The lower and middle trapezius, which spans the back and the rhomboids—muscles joining the shoulder blade to the spine—work together to draw the shoulders back and down, opening the chest.
3. The erector spinae muscles run the length of the spine and the quadratus lumborum connects the back pelvis rib cage and spine. Together, they lift the back. This force is transmitted to the shoulders and arms, and then connected to the feet.
4. The sartorius, tensor fascia lata and gluteus medius—muscles at the side and front of the hip—and the gluteus maximus turn the hips outward and lengthen the adductor muscles along the inner thigh.
5. The hamstrings bend the knees, lengthening the quadriceps along the front of the thigh. The deep external rotators of the hips turn the thighs outward.





Inset: illustrating the deep external rotators of the hip and the hamstrings origin.



Supta Padangusthasana: Bent Knee Version


This version of the sleeping big toe pose has the knee of the stretching leg bent. This action focuses the stretch on the region where the gluteus maximus and the hamstrings, along the back of the thigh, are attached to the bones. Most of the stretch is accomplished by connecting the hands to the foot and using the force of the upper arms, shoulders and back to draw the foot downwards.

Synergizing/Activating

Stretching Leg

1. The psoas, high at the top of the thigh, and the pectineus, attached to the thigh bone and the pubic bone, are activated, but they cannot generate much force when the hip is fully bent. Rather, they are used to align the hip joint and aid in the initial phase of the stretch.
2. The foot is drawn towards the chest by the biceps, the pectoralis major in the chest muscle and the posterior deltoid, at the back of the shoulder.
3. The erector spinae, which flow the length of the spine, arch the back, intensifying the stretch.





Straight Leg

1. The gluteus maximus in the buttock straightens the hip.
2. The tensor fascia lata along the side of the hip and the gluteus medius in the buttock turn the hip inward.
3. The quadriceps at the front of the thigh straightens the knee.
4. The tibialis anterior (along the shin) bends the ankle upward.
5. The peroneus (along the outside of the calf) turns the foot slightly outward.



Supta Padangusthasana A: Sleeping Big Toe Pose

This is a variation on the reclining hip openers and is related to the standing pose Parsvottanasana. It is an intense stretch of the hamstrings down the back of the thigh and the gluteus maximus in the buttocks. It also involves an unusual form of activating the extensors and internal rotators that straighten and turn in the leg that remains on the floor.


Synergizing/Activating



Stretching Leg

1. The psoas at the top of the front of the thigh and the pectineus attached to the thigh bone and pubic bone flex the hip, stretching the gluteus maximus and the hamstrings along the back of that thigh.
2. The quadriceps presses the knee straighter, stretching the hamstrings behind.

Straight Leg

1. The hip is straightened by the gluteus maximus and also the gluteus medius, tucked partially under the buttock.
2. The tensor fascia lata along the outside of the hip and gluteus medius in the buttock turn the hip inward.






Torso and Arms:

1. The rectus abdominus, which flows from the chest to the pubic bone, bends the trunk.
2. The pectoralis major in the chest draws the arms toward the center line, pulling the leg to the chest.
3. The infraspinatus and teres minor over the shoulder blades turn the shoulders outward.
4. The lower trapezius (that spans the back) draws the shoulders away from the ears.
5. The biceps bend the elbows, drawing the leg towards the chest.



Supta Padangusthasana B: Sleeping Big Toe Pose

In this version of the pose, the held leg is abducted to the side, intensely stretching the hamstrings. This is similar to the standing pose Trikonasana.



4. The peronei along the outside of the calf turn the foot slightly outward.
5. The tibialis anterior along the outer side of the shin draws the foot up.
6. The biceps, the deltoids capping the shoulder and the upper trapezius that spans the back are all engaged to lift the foot higher and intensify the stretch.

Synergizing/Activating


Stretching Leg

1. The psoas and pectineus bend the hip.
2. The sartorius, which runs diagonally across thigh, bends the hip, moves it away from the midline, and turns it outward.
3. The quadriceps straightens the knee.

Straight Leg

1. The gluteus maximus in the buttocks extends the hip and thigh pressing the heel into the floor.
2. The tensor fascia lata along the outside of the hip and the gluteus medius in the buttock turns the hip in.
3. At the front of the thigh, the quadriceps straightens the knee.
4. The tibialis anterior along the outside of the shin bends the foot upward.
5. The peronei along the side of the calf turn the ankle slightly outward.
6. The triceps and posterior deltoids at the back of the upper arm and the shoulder work with the lower pectoralis major in the chest to press the hand down on the thigh.

Inset: illustrating the two portions of the pectoralis major muscle. The sternoclavicular (upper) portion raises the arm to lift the foot. The sternocostal (lower) portion adducts the arm to press the hand into the leg.






Supta Padangusthasana: Lying Down Big Toe Pose (Revolving Variation)

This is a variation of the Supta Padangusthasana pose and is related to Parvrtta Trikonasana. It affects many of the same muscle groups and is a combination of twist and hip opener.


Synergizing/Activating



1. The psoas (high at the front of the thigh) works with the pectineus, attached to the thigh bone and the pubic bone, and the rectus femoris down the front of the thigh to bend the upper hip.
2. The upper thigh bone is drawn towards the midline by the adductor longus and brevis of the inside thigh.
3. The tensor fascia lata on the outside of the hips and the anterior fibers of the gluteus medius in the buttocks work together to turn the thigh bone inward.
4. The quadriceps straightens the knees.
5. The lower hip is straightened by the gluteus maximus in the buttock.
6. The adductor magnus on the inner thigh straightens the lower hip and draws the thigh bone toward the body.
7. The gluteus medius in the buttock and tensor fascia lata along the outside of the hip work together to turn the thigh bone of the lower leg inward, thus counteracting the outward turning effects of the gluteus maximus.



8. The posterior and lateral deltoids press the straight arms downward towards the floor.
9. The middle trapezius and rhomboids draw the scapulae towards the spine to open the chest..
9. The triceps straighten the elbows.

Inset: illustrating adduction, flexion and internal rotation of the hip. This action stretches the gluteus medius, tensor fascia lata, gluteus maximus and deep external rotators of the hip.





Forward Bends




Dandasana
Staff Pose
Page 102



**Trianga
Mukhaikapada
Paschimottanasana**
Three Limbs Face One
Foot Pose
Page 104




Paschimottanasana
Intense Stretch
to the West
Page 108




Navasana
Boat Pose
Page 110



**Parivrtta Janu
Sirsasana**
Revolving Head
to Knee Pose
Page 114



Parighasana
Cross Bar of the
Gate Pose
Page 116





Kermasana
Turtle Pose
Page 118

Janu Sirsasana	100
Dandasana	102
Trianga Mukhaikapada Paschimottanasana	104
Ardha Baddha Padma Paschimottanasana	106
Paschimottanasana	108
Navasana	110
Ubhaya Padangusthasana	112
Parivrtta Janu Sirsasana	114
Parighasana	116
Kurmasana	118

Janu Sirsasana: Head-to-Knee Pose


Janu Sirsasana is one of the asymmetric forward bends. It is similar to the hurdlers' stretch that athletes perform during warmup. This pose creates an intense stretch of the hamstrings in the straight leg. As with other poses that connect the upper and lower extremities, Janu Sirsasana also affects the lower back and shoulders. Focusing one's attention on the bent leg can be used to refine this pose.





Synergizing/Activating

1. The psoas conspires with the pectineus, rectus femoris and sartorius muscles to bend the straight leg hip.
2. The quadriceps of the extended leg holds the knee straight.
3. Hamstrings at the back of the opposite thigh keep that leg firmly bent.
4. The gluteus maximus turns the bent leg hip outward. External rotator muscles deep in the hip assist in maintaining the turnout.
5. The gluteus medius muscle holds the bent leg hip away from the center line.
6. The sartorius, crossing the thigh, also bends and turns the hip, pulling it away from the center line.
7. The rectus abdominus bends the trunk over the straight leg.
8. The biceps of both upper arms bend the elbows, drawing the torso into the stretch.






Dandasana: Staff Pose

Dandasana is like a home position that we return to between various supine and prone postures on the floor. This is analogous to how we use Tadasana to recalibrate during the standing poses. It is useful as a “barometer” to gauge the transformation that takes place during our individual practice sessions. As with Chataranga Dandasana, we can also practice Dandasana by itself to strengthen the muscles that hold the back and knees straight and stable, along with those that bend the hip in a controlled fashion.


Synergizing/Activating

1. The erector spinae (muscles along the spine) and the quadratus lumborum in the lower back combine with the psoas at the front and top of the thigh to lift and stabilize the lower back.
2. The triceps straighten the elbows and push the hands into the floor, further lifting the back.
3. The trapezius combines with the rhomboid muscles draw the shoulder blades towards the spine and downward, opening the chest.
4. The psoas, pectineus and rectus femoris flex the hips.
5. The adductors, along the inner thigh, draw the upper leg bones towards the midline.





6. The quadriceps straighten the knees. One of the quadriceps, the rectus femoris, also contributes to flexing the hips.
7. Muscles along the edge of the shins (tibialis anterior) shorten to make "right-angle ankles."
8. Finally, the pose is finessed as the peroneus longus and brevis muscles (along the outside of the lower leg) turn the ankles slightly outward to open the soles of the feet.



Trianga Mukhaikapada Paschimottanasana: Three Limbs Face One Foot Pose


This pose is an asymmetrical forward bend; that is, one leg is bent. Like the poses that use both sides of the body at the same time, asymmetrical poses show us where we need to improve in order to move towards symmetry. The tendency in this pose is to fall over toward the straight leg side. Activating the psoas and the hamstrings of the bent leg draws the body back over the bent leg. In this way, we can use the asymmetry of the pose to awaken these muscles.

Synergizing/Activating

Bent Leg

1. The hamstrings at the back of the thigh bend the knee, drawing the body toward the bent leg. The gastrocnemius in the calf assists the hamstrings in bending the knee.

2. The psoas bends the hip and opposes the tendency to fall over the straight leg by drawing the body towards the bent leg side.





Stretching Leg

1. The psoas bends the hip.
2. The gluteus medius and the tensor fascia lata activate to turn the hip inward, rolling the body toward the bent knee.
3. The quadriceps straighten the knee.
4. The adductor group, on the inside of the thigh draws the thigh towards the bent leg side.

Trunk

1. The abdominals activate to bend the trunk.



Inset: The psoas contracts to draw the trunk over the bent leg. The hamstrings and calf muscles bend the knee.

2. Actively flexing the trunk creates reciprocal inhibition of the back extensors, allowing them to lengthen.


Shoulders and Arms

1. The biceps bend the elbows, drawing the torso towards the straight leg.
2. The deltoids lift the shoulders.
3. The middle trapezius, which spans the back, combines with the rhomboids to draw the scapulae toward the spine.
4. The lower trapezius in the back draws the shoulders away from the neck.




Ardha Baddha Padma Paschimottanasana: Half Bound Lotus Forward Bend

This pose binds the shoulder to the opposite hip, bending forward over the straight leg to stretch the muscles at the back of the thigh, hip and back. As a half lotus, it is considered asymmetrical and is useful for identifying differences between the two sides of the body.




Synergizing/Activating


1. The pectoralis, a fan-shaped muscle attached to the breastbone and collarbone, and the subscapularis, a triangular muscle stretching from the shoulder blade, converge on the bone in the upper arm to turn the shoulder on the bent leg side, up behind the back and inward. This stretches two other muscles, the infraspinatus and teres minor, each connected to the shoulder blade and the upper arm bone.
2. The posterior deltoid, teres major and latissimus are muscles located at the back of the shoulder and down the rib cage. These muscles attach to the bone in the upper arm. They work together to extend the shoulder and arm, allowing the hand to grasp the foot of the half lotus leg. At the same time, the muscles at the back of the extended arm, the deltoids, are engaged to create a pull on the grasped foot, thus deepening the pose and stretching the quadriceps.



Inset: Activating the teres major and the sternocostal (lower) portion of the pectoralis turn the humerus inward and stretches the infraspinatus, teres minor and sternoclavicular (upper) portion of the pectoralis major.


3. Muscles behind the shoulder, along and under the rib cage and in the upper arm, specifically the posterior deltoid, teres major, latissimus and biceps, conspire to deepen the stretch of the straight leg's gastrocnemius, hamstrings and gluteus maximus.
4. The final engagement used to take the pose to its deepest level involves the rectus abdominus muscle running down the front of the trunk and the psoas. As it contracts, the erector spinae (deep muscles running the length of the spine) and the quadratus lumborum in the lower back are stretched.







Paschimottanasana: Intense Stretch to the West

This pose is a symmetrical forward bend that intensely and evenly stretches the calf muscles, those down the back of the thigh, the large buttock muscles, and those that run down the length of the spine. The upper extremities connect to the lower extremities to transmit the force of the stretch to the spine and trunk. In other words, the hands grasp the feet of the outstretched legs and gently pull, helping to fold the torso.



Synergizing/Activating

1. The hips are bent by the psoas, pectineus, rectus femoris and sartorius muscles connecting the thigh bones and pelvis.
2. The adductor group draws the thighs together.
3. The quadriceps straighten the knees, stretching the hamstrings. The act of contracting the quadriceps initiates reciprocal inhibition, causing the hamstrings to relax.
4. The ankles are bent upward by the tibialis anterior muscles along the front of the shins, stretching the muscles on the back of the calf.
5. The peroneus muscles along the outside of the calf turn the ankle slightly outward, opening the soles of the feet.



Inset: intense stretch of the calf muscles, hamstrings and gluteus maximus.

6. The rectus abdominus muscle flows from the chest to the pubic bone and bends the trunk toward the knees, stretching the back muscles.
7. The biceps bend the elbows slightly to draw the torso farther over the thighs, intensifying the stretch.
8. Infraspinatus and teres minor muscles over the shoulder blades turn the shoulders gently outward to further flatten the upper body against the thighs.
9. The rhomboids and middle trapezius draw the shoulder blades toward the spine, opening the chest.
10. The lower trapezius muscles that span the back draw the shoulders away from the neck.






Navasana: Boat Pose

Navasana resembles a boat floating in the water. The arms form the gunwhales and the legs and torso form the hull. This pose flexes the trunk in an “open chain” fashion, strengthening the psoas and quadriceps muscles at the front of the hip and thighs, as well as the abdomen.

Synergizing/Activating

1. The psoas, pectineus, sartorius and rectus femoris muscles bend the hips and flex the trunk, raising the legs about 30 degrees off the floor.
2. The rectus abdominus, stretching from the chest down to the pubic bone, bends the trunk.
3. The quadriceps firmly contract to straighten the knees.
4. The adductors along the inner thigh draw the knees together.
5. The gastrocnemius muscles in the calf bend the ankle slightly to bring the soles of the feet perpendicular to the floor. The peroneous longus and brevis slightly evert the ankles, opening the soles of the feet.





Inset: Combining activation of the rectus abdominus, psoas and rectus femoris flexes the hips and trunk.

6. The erector spinae and quadratus lumborum lift and slightly arch the back.
7. The trapezius muscles (spanning the back) combine with the rhomboids (connecting the shoulder blade to the spine) to draw the shoulders back and down.
8. The pectoralis minor, located under the pectoralis major, lifts the rib cage through "closed-chain" contraction, opening the chest.
9. The triceps straighten the elbows.



Ubhaya Padangusthasana: Both Feet Big Toe Pose

Ubhaya Padangusthasana, sometimes known as Jumping in with Both Feet, is a combination of a forward bend and balancing pose. It connects the upper and lower extremities and uses the arms and shoulders to deepen the pose.


Synergizing/Activating


Shoulders and Arms

1. Biceps bend the elbows, drawing the legs towards the body.
2. The rhomboids, connected to the spine and the shoulder blades, work with the middle trapezius (spanning the back) to draw the shoulder blades (or scapulae) towards the midline, opening the chest.
3. The latissimus and teres major around the shoulders contract to lift the chest.
4. The lower trapezius muscles draw the shoulders down the back.
5. The infraspinatus and teres minor muscles turn the shoulder outward.

Trunk

1. The abdominals contract to bend the trunk.
2. The erector spinae and the quadratus lumborum in the lumbar spine activate, creating a slight arch in the back.





Inset: Illustrating activation of the pectorals (minor and major) to lift the chest. The biceps synergize with the hip flexors. This is an example of connecting the upper and lower appendicular skeletons to deepen a pose.

Pelvis and Legs

1. The psoas and the pectineus (attached to the thigh bone and pubic bone) bend the hips.
2. The quadriceps (along the front of the thighs) straightens the legs.
3. The gastrocnemius and soleus (calf muscles) bend the feet downward to "lock" the grip of the hands.
4. Peronei along the outside of the calf turn the feet out slightly.




Parivrtta Janu Sirsasana: Revolving Head to Knee Pose


This pose resembles Parighasana but differs in that the bended leg is placed in a manner similar to Janu Sirsasana. The knee can be abducted progressively, or drawn further backward to intensify the stretch of the adductor group of muscles on the inside of the thigh.

Synergizing/Activating


1. The quadriceps extend the knee of the straight leg.
2. The psoas combines with the pectineus, rectus femoris and sartorius to bend the hip of the straight leg.
3. The tensor fascia lata down the outside of the straight leg hip maintains the straight leg in a neutral position with the knee cap facing upward.



4. In the bent leg, the sartorius muscle pulls the calf closer to the thigh, moves the knee farther from midline, and turns the leg outward.
5. The bent hip is also moved away from the midline by the gluteus medius and the tensor fascia lata, abducting it and stretching the muscles on the inside of the thigh.
6. The bent-leg gluteus maximus in the buttock extends and turns the hip outward.
7. The peroneus longus and brevis down the outside of the calf turn the ankle of the straight leg slightly outward. These same muscles are gently stretched in the bent leg by inverting the foot to turn the sole slightly upward.
8. The anterior deltoids at the front of the shoulders lift the humeri away from the torso, opening the chest.
9. The biceps activate to bend the elbows, drawing the torso towards the straight leg.
10. The infraspinatus and teres minor muscles rotate the humerus to refine the pose.




Inset: The sartorius flexing, abducting and externally rotating the femur. The adductor group is shown lengthening.





Parighasana: Cross Bar of the Gate Pose



Parighasana combines twisting the torso and forward bending. This pose connects the upper and lower extremities and uses this connection to carry the twist into the spine and torso.




Synergizing/Activating

1. The quadriceps in the thigh of the straight leg contract to extend the knee.
2. The psoas combines with the pectineus, rectus femoris and sartorius to bend the hip of the straight leg.
3. The tensor fascia lata on the outside of the hip of the straight leg aids to extend the straight leg knee and maintain the leg in a neutral position.
4. Meanwhile, on the bent leg, the tensor fascia lata and anterior gluteus medius turn the hip inward.

5. The bent leg's gluteus maximus extends the hip away from the body.
6. The peroneus longus and brevis along the outside of the legs turn the ankles out slightly.
7. The anterior deltoids and the biceps activate to open the chest, with the lower elbow pressing into the knee to turn the torso.
8. The infraspinatus muscle turns the upper arm bone outward to refine the pose.



Inset: The tensor fasciae latae and gluteus medius abducting and internally rotating the femur. The adductor group is shown lengthening.




Kurmasana: Turtle Pose

Kurmasana is a deep forward bend that focuses the stretch on the upper hamstrings and lower back muscles. The upper and lower body are connected only at the elbows and knees. This means that when the quadriceps muscles at the front of the thighs contract to straighten the knees, a powerful force is transmitted to the lower back.



Synergizing/Activating


1. The quadriceps straighten the knees and press the elbows down. This creates a direct stretch of the hamstring muscles below the buttocks and an indirect stretch of the erector spinae the length of the spine and the quadratus lumborum in the lower back.
2. The biceps and anterior deltoids at the front of the shoulder, as well as the pectoralis major in the chest, contract in the initial phase of the pose, and then relax as the back muscles stretch and one goes deeper into the pose.
3. The posterior deltoids at the back of the shoulder stretch out the shoulders to deepen the pose as the triceps straighten the elbows.
4. The psoas muscles high at the front of the thigh bend the hips.
5. The tibialis anterior (along the outside shin) bends the ankles toward the shins and the peronei evert the ankles, opening the soles of the feet.



Inset: Illustrating the stretch of the erector spinae, quadratus lumborum and gluteus maximus in Kurmasana.



Twists



Seated Twist

Page 122



Marichyasana III

Great Sage Pose


Page 124



Marichyasana I

Great Sage Pose

Page 126




**Ardha
Matsyendrasana**

Lord of the Fishes Pose

Page 128

Seated Twist	122
Marichyasana III	124
Marichyasana I	126
Ardha Matsyendrasana	128






Seated Twist

This twist can be used as a preparation pose or to gently release tightness that may accumulate from back bends or forward bends.

Synergizing/Activating

1. The erector spinae and the quadratus lumborum lift the torso, slightly arching the back.
2. The latissimus dorsi, posterior deltoid and the triceps work in concert with the abdominals to turn the trunk.
3. To turn the body to the same side, the biceps, upper pectoralis in the chest, and the anterior deltoids at the front of the shoulder work together to turn the trunk.





Inset: The lower trapezius, latissimus, deltoid and triceps synergize to turn the body.

4. The gluteus maximus on the side away from the twist turns the hip outward.
5. The oblique abdominals complete the twist.





Marichyasana III: Great Sage Pose

Marichyasana III is a twist that involves the upper body turning out and the lower body turning in. This means that muscles with a rotatory component can be put to further use in order to deepen and refine the pose. For example, contracting the deep muscles that turn the thigh bone out on the bent leg side can refine the twist. These include the external rotators of the hip and the gluteus maximus.

Synergizing/Activating

1. The posterior deltoids extend the shoulders back away from the body, stretching the anterior deltoids.
2. The triceps work to extend the elbows away from the body.
3. The lower trapezius, spanning the back, draws the shoulders away from the neck.
4. The middle trapezius back muscle works with the rhomboid muscles, joining the shoulder blade and the spine to draw the shoulders back towards the midline, opening the chest.
5. The pectoralis minor chest muscle lifts the lower rib cage.
6. The oblique abdominals activate to increase the twist of the torso.
7. The psoas and pectineus flex the bent leg at the hip.






Inset: The wrist extensors bend the wrist to create a lock with the grasping hand.

8. The gluteus medius and tensor fascia lata (deep in the buttock of the bent leg and along the side of the hip) turn the thigh bone inward. Both of these muscles move the hip away from the center line, abducting it. This action presses the outer part of the knee against the arm, deepening the turn.
9. The hamstrings on the outer side of the bent knee (biceps femoris) activate to rotate the hip.
10. The quadriceps of the extended leg straightens the knee, and the tibialis anterior muscle (along the outside of the shin) bends the foot toward the shin.
11. The peroneus longus and brevis evert the ankle and turn the foot slightly outward, opening the sole of the foot.



Marichyasana I: Great Sage Pose


Marichyasana I turns the body in the opposite direction to Marichyasana III. It involves the upper body turning inward, while the lower body turns outward. This means that muscles with a turning capacity can be activated to deepen and refine the pose. These include the rotator cuff, the rotators of the hip, and the inner and outer hamstrings.




Synergizing/Activating

1. The pectoralis major of the chest and subscapularis muscle under the shoulder blade turn the shoulders inward and stretch the infraspinatus and teres minor.
2. The triceps muscles work to straighten the elbows, thus deepening the torso flexing forward.
3. The deep external rotators of the bent leg hip turn the thigh bone outward, while the gluteus medius and tensor fascia lata press the knee into the arm.
4. The inner hamstrings of the bent leg rotate the tibia inward. The net effect of this action is to turn the hip outward, in a direction opposite the torso.

5. The psoas, pectineus, rectus femoris and sartorius of the straight leg flex the hip.
6. On the straight leg, the quadriceps contract to straighten the knee.
7. The peroneus longus and brevis muscles turn the straight leg ankle slightly outward.
8. Obliques (located toward the side of the abdomen) are activated to increase the turning.
9. The quadratus lumborum and erector spinae arch the back slightly.




Inset: Illustrating the back portion of the deltoids, triceps and trapezius synergizing to deepen the pose.







Ardha Matsyendrasana: Lord of the Fishes Pose

This twisting pose, reminiscent of the salmon twisting as it climbs upstream, uses the energy generated by binding the forward arm to the foot and the other arm (behind the back) to the thigh. We illustrate it here in its intermediate variation, using a belt to reel the back arm into the leg.



Synergizing/Activating

1. The forward arm biceps and brachialis (the muscles at the front of the upper arm) combine with the pectoralis major and activate to deepen the turn of the torso.
2. The outward force of the tensor fascia lata presses the knee against the back of the arm.
3. The posterior deltoid extends the shoulder, pushing the upper arm bone (the humerus) against the knee and opens the chest.
4. The pectoralis and subscapularis muscles work to turn the shoulder inward on the arm behind the back, stretching the infraspinatus and teres minor.



Inset: The biceps and sternocostal (lower) portion of the pectoralis major combining to leverage the torso deeper into the twist.

5. The lower trapezius (part of the superficial muscle spanning the back) draws the shoulders downward away from the neck.
6. The middle trapezius and rhomboids draw the shoulder blades toward the spine, opening the chest.
7. Two of the calf muscles, gastrocnemius and soleus plantar, press the sole of the foot into the hand, grounding the pose.
8. The oblique abdominals accentuate the turn of the torso.

Back Bends



Salabhasana
Locust Pose
Page 132



Urdhva Mukha Svanasana
Upward Facing Dog Pose
Page 134



Purvottanasana
Intense Stretch to the East Pose
Page 136



Ustrasana
Camel Pose
Page 138



Danurasana
Bow Pose
Page 140




Urdhva Danurasana
Upward Facing Bow Pose
Page 142



Eka Pada Raja Kapotasana
Pidgeon Pose
Page 144

Salabhasana	132
Urdhva Mukha Svanasana	134
Purvottanasana	136
Ustrasana	138
Danurasana	140
Urdhva Danurasana	142
Eka Pada Raja Kapotasana	144




Salabhasana: Locust Pose



Salabhasana strengthens the muscles that arch the back, including the erector spinae along the length of the spine, quadratus lumborum in the lower back, lower trapezius spanning the upper back, the gluteus maximus and the hamstrings. This prepares the body for back bends that create greater extension of the spine, such as Urdhva Danurasana or Ustrasana.

Synergizing/Activating

1. The gluteus maximus extends the hips and tilts the pelvis downward into retroversion.
2. Hamstrings down the back of the thigh extend the hips out and up, and lift the knees.
3. The adductors along the inside of the thigh also stretch the hips out and draw the knees together.



4. The quadriceps straighten the knees.
5. The erector spinae along the length of the spine arch the back.
6. The lower trapezius, spanning the back, draws the shoulders back and down.
7. The posterior deltoids across the back of the shoulders stretch them back toward the spine.
8. The triceps straighten the elbows.
9. The pectoralis major and minor aid to open the chest forward.



Inset: Illustrating the stretch of the deep hip flexors—the psoas, pectineus and adductor longus.



Urdhva Mukha Svanasana: Upward Facing Dog Pose

This back-bending pose forms part of the Sun Salutations and Vinyasa flow sequence. It can also be performed alone to strengthen the upper extremities, open the chest and tone the extensors of the back.


Synergizing/Activating


Shoulders and Arms

1. The triceps muscles at the back of the upper arms straighten the elbows.
2. The back portions of the deltoids activate to draw the shoulders back, extending the upper arm bones, opening the chest, and stretching the upper portion of the pectoralis major.
3. Muscles on the back of the shoulder blades, the infraspinatus and teres minor, turn the shoulders outward to open the chest.
4. The lower portion of the trapezius draws the shoulders down the back and away from the ears.
5. The lower portion of the pectoralis major lifts the chest.

Trunk

1. Erector spinae muscles along the length of the spine arch the back.
2. The glutei in the buttock combine with the psoas and abdominals to stabilize the pelvis and protect the lower back.





Inset: Illustrating the stretch of the deep hip flexors.

Pelvis and Legs

1. The buttock muscles extend the hips and tilt the pelvis downward. The muscles at the back of the thigh (the hamstrings) aid in this action.
2. The muscles along the outside of the hip, the gluteus medius and tensor fascia lata, combine to turn the hips inward.
3. The quadriceps firmly contract to straighten the knees.
4. The tibialis anterior muscles along the front of the shin press the tops of the feet into the floor.




Purvottanasana: Intense Stretch to the East Pose

Purvottanasana is a back bend in which the shoulders extend, thus is related to Ustrasana. The hips extend less in this pose, focusing the stretch on the shoulders.

Synergizing/Activating

1. The posterior deltoid muscles at the back of the shoulders extend the shoulders back and away from the torso. This creates an intense stretch of the anterior portion of the deltoids in the shoulders, the pectoralis major on the chest, and the biceps muscles on the upper arms.
2. The triceps straighten the elbows, lengthening the biceps.





Inset: Synergy of the triceps extending the elbows and the posterior portion of the deltoids extending the shoulders to deepen Purvottanasana.

3. The back is arched by the erector spinae along the spine and the quadratus lumborum in the lower back.
4. The gluteus maximus in the buttocks pushes the pelvis up and out, accentuating the back arch.
5. The hamstrings at the back of the thigh straighten the hips.
6. The hips are straightened further by the adductor muscles along the inner thigh, especially the adductor magnus, and these muscles also pull the thighs together.
7. The quadriceps at the front of the thighs straightens the knees.
8. The feet are stretched out and curved downward by the gastrocnemius and soleus. The peroneus longus and brevis muscles along the back and side of each calf help press the balls of the feet into the floor.





Ustrasana: Camel Pose

Ustrasana is a back bend in which the shoulders extend out behind (as in Purvottanasana). The hands on the feet connect the upper and lower appendicular skeletons (as in Danurasana).

Synergizing/Activating

1. The rhomboids, connecting the spine and the shoulder blades, work with the lower and middle trapezius (spanning the back) to draw the shoulders back and down.
2. The pectoralis minor in the upper chest lifts the rib cage.
3. The posterior deltoids (at the back of the shoulders) extend the upper arm.
4. The triceps, at the back of the upper arms, straighten the elbows.
5. The wrists bend away from the body.
6. The gluteus maximus in the buttocks and the hamstrings, down the back of the thigh, straighten the hips.
7. The adductors in the inner thigh press the hips straighter and draw the thigh bones toward the body.
8. The tensor fascia lata (down the outside of the hips) and the gluteus medius in the buttocks turn the thigh bones inward. This action counters the turning out of the thighs created by the gluteus maximus.
9. The quadriceps (down the front of the thighs) partially straighten the knees to bring the thigh bones to a right angle to the floor.
10. The gastrocnemius and soleus, the calf muscles, bend the ankles away from the shins.





Inset: This illustrates the psoas and quadratus lumborum surrounding the lumbar spine, protecting it. The rectus abdominus is shown lightly contracting. This creates the "abdominal airbag effect", pressing the abdominal organs against the spine, further protecting it.




Danurasana: Bow Pose

Here the torso and legs form the body of a bow and the arms form the string. Contracting the muscles on the back of the body slackens the string. Keeping the muscles along the front of the body active tightens the bow. Further bending the elbows draws the string and bends the bow.


Synergizing/Activating


1. The posterior deltoids (muscles at back of the shoulders) and the triceps at the back of the upper arm extend the elbows, allowing the hands to grip the ankles. This attaches the string of the bow. The biceps bend the elbows, tightening the string, and thus draw the bow.
2. The hamstrings (along the back of the thigh) bend the knees, bringing the ankles to the hands.
3. The tibialis anterior muscles on the front of the shins bend the ankles towards the shins; along the outside of the calf, the peroneus longus and brevis turn the ankle slightly outward. These actions "lock" the attachment of the hands to the ankles.
4. The lower trapezius (spanning the back) and the rhomboids (between the shoulder blades and the spine) draw the shoulders back and down, opening the chest.



Inset: Illustrating the stretch of the hip flexors and the rectus abdominus.

5. The quadriceps straighten the knees, tightening the bow.
6. The buttock muscle works to extend the hips.
7. The erector spinae (running the length of the spine) and the quadratus lumborum in the small of the back, arch the back.
8. Gently activating the rectus abdominus on the front of the body creates the "abdominal airbag" effect by compressing the abdominal organs against the spine. At the same time, this softens the arching of the lumbar spine.





Urdhva Danurasana: Upward Facing Bow Pose


Urdhva Danurasana creates a back bend with the shoulders fully flexed over the head. This differs from Danurasana (bow pose), in which the shoulders extend back away from the torso. This means that other muscle groups are working and stretching, especially around the shoulders.

Synergizing/Activating

Shoulders and Arms

1. The triceps at the back of the upper arm straighten the elbows. Contracting the long head of these upper arm muscles turns the tail of the shoulder blade outwards and helps stabilize the head of the upper arm bone (the humerus) in the socket of the shoulder joint.
2. The anterior deltoids across the front of the shoulders bend them back toward the floor.
3. The infraspinatus and teres minor muscles (across the shoulder blades and the back of the shoulders) turn the shoulders outward.
4. The upper trapezius (that spans the back) elevates the shoulder girdle.
5. The middle trapezius and the rhomboids, connected to the spine and the shoulder blades, draw the shoulder blades towards the midline.
6. The lower trapezius draws the shoulders away from the neck.
7. The wrist extensors along the forearms bend the wrists toward the forearm.





Trunk

1. The erector spinae, which flow the length of the spine, arch the back.
2. The quadratus lumborum muscles in the lower back work with the psoas (high at the front of the thigh) to stabilize the lower back.
3. The rectus abdominus, which flows from the chest to the pubic bone, contracts lightly to obtain the "abdominal airbag" effect, adding more protection to the lower back.

Pelvis and Legs

1. The gluteus maximus in the buttocks and the hamstrings (down the back of the thigh) extend the hips.
2. The tensor fascia lata (along the outside of the hip) and the gluteus medius (deep in the buttocks) turn the hips and the thigh bones inward.
3. The adductors on the inner thigh straighten the thigh bones, drawing them toward the body.
4. The quadriceps (down the front of the thighs) straighten the knees.
5. The peronei along the outside of the calf turn the ankles slightly outward.
6. The gastrocnemius and soleus (muscles in the calf) press the feet down, grounding the pose.





Eka Pada Rajakapotasana I: Pidgeon Pose

This is an advanced back bend. We illustrate an intermediate variation using a belt to aid in grasping the foot. Pay particular attention to the chest in this pose. It helps to lift and open the chest by focusing on activating the pectoralis minor muscles, located at the upper part of the chest, and the rhomboid muscles, connecting the spine to the shoulder blades.

Synergizing/Activating

1. The forward leg is rotated outward by the psoas, located high at the front of the thigh, the sartorius attached to the pelvis and thigh bone, and deep external rotators in the thigh that have a turning capacity.
2. The tensor fascia lata and gluteus medius of the forward leg lengthen as the hip turns outward.
3. The thigh bone is moved away from the midline by the sartorius and the gluteus medius in the buttock.
4. Hamstrings of the forward leg bend the knee.
5. The gluteus maximus in the buttock of the back leg presses the hip forward, tilts the pelvis downward, and extends the thigh bone.
6. The gluteus medius works with the tensor fascia lata along the side of the back hip to turn the hip inward.
7. Hamstrings bend the back knee and further extend the hip.
8. The tibialis anterior and peronei along the edge of the shin and the calf bend and slightly turn the ankle outward. These actions create a place to grip the foot and connect the upper and lower extremities.





9. The triceps muscles work to straighten the elbow. This action opens the chest and stretches the pectoralis major.
10. The erector spinae running the length of the spine extend the torso to lengthen and stretch the rectus abdominus that flows from the chest to the pubic bone. The rectus abdominus contracts gently to oppose this force, helping protect the lumbar spine.
11. The lower trapezius draws the shoulders down and away from the neck.
12. The middle trapezius cooperates with the rhomboids to draw the shoulder blades towards the midline, opening the front of the chest.

Arm Balances



Adho Mukha Svanasana
Downward Facing Dog
Page 148



Vasisthasana
Sage Pose
Page 150



Chataranga Dandasana
Four Limb Staff Pose
Page 152



Adho Mukha Vrksasana
Full Arm Balance
Page 154



Bakasana
Crow Pose
Page 156



Titibasana
Insect Pose
Page 158



Pincha Mayurasana
Feather of the Peacock Pose
Page 162

Adho Mukha Svanasana	148
Vasisthasana	150
Chataranga Dandasana	152
Adho Mukha Vrksasana	154
Bakasana	156
Titibasana	158
Pincha Mayurasana	162




Adho Mukha Svanasana: Downward Facing Dog

Adho Mukha Svanasana is an arm balance, a partial inversion and a restorative pose. It can be an active pose for stretching and strengthening various regions of the body or a pose we return to for a rest during practice.

Synergizing/Activating


Arms and Shoulders

1. The triceps straighten the elbows.
2. The front (anterior) deltoids lift the shoulders and arms over the head.
3. The infraspinatus and teres minor roll the shoulders outward.
4. The rhomboids and middle trapezius draw the shoulder blades toward the midline.
5. The lower trapezius draws the shoulders away from the neck.



Trunk


1. The erector spinae arches the back slightly.
2. The quadratus lumborum combines with the psoas to arch the lumbar slightly.
3. The abdominals contract slightly to draw the internal organs inward and to flex the trunk.



Inset: The tibialis anterior activating to draw the tops of the feet towards the shin. The peroneus longus and brevis aid to press the balls of the feet into the floor.

Pelvis and Legs

1. The psoas, pectineus, sartorius and rectus femoris combine to flex the hips and trunk.
2. The quadriceps straighten the knees, stretching the hamstrings and gastrocnemius and soleus muscles.
3. The tensor fascia lata aids in extending the knees and combines with the front portion of the gluteus medius to rotate the thighs inward.
4. The tibialis anterior and extensor hallucis draw the top of the foot upward, causing the heel to sink to the ground, thus grounding the pose.




Vasisthasana: Sage Pose


Vasisthasana is named for the sage Vasistha. It is an arm balance on one side and is useful for isolating and strengthening the deep and superficial shoulder muscles, including those of the rotator cuff. It also strengthens the muscular stabilizers of the wrist and elbow and teaches balance.

Synergizing/Activating

Shoulders and Arms

1. The balancing arm triceps firmly contracts to straighten the elbow, lengthening the biceps.
2. The lateral (middle) portion of the deltoids is active to draw the arm away from the side of the body. The front and back portions of the deltoids refine this action.
3. The supraspinatus muscle deep in the shoulder aids to draw the arm away from the side with the infraspinatus and teres minor turning the arm outward and stabilizing the head of the humerus in the socket of the shoulder.
4. The upper (sternoclavicular) portion of the pectoralis major muscle combines with the trapezius to stabilize the upper arm and shoulder girdle.





5. The lower portion of the trapezius draws the shoulders away from the neck and opens the chest.
6. The lower portion of the pectoralis major on the upper side arm activates to press the hand into the side of the thigh. The triceps contracts to straighten the elbow.

Trunk

1. The erector spinae, muscles running the length of the spine activate to slightly arch the back and stabilize the spine.
2. The rectus abdominus balances the work of the back muscles.

Pelvis and legs

1. The gluteus minimus and medius combine with the tensor fascia lata to attempt to draw the lower side leg away from the body. The effect of this action is to lift the pelvis and to press the side of the foot into the floor, stabilizing the lower half of the body in the pose.
2. The peroneus longus and brevis of the lower leg activate to press the knife-edge of the foot into the floor. This action combines with that of the lower-side leg hip abductors (gluteus medius and tensor fascia lata) to stabilize the leg.
3. The quadriceps are active, straightening the knees.




Chataranga Dandasana: Four Limb Staff Pose

Many yoga systems use this pose to transition from Uttanasana to Upward Facing Dog pose during the Sun Salutations or in Vinyasa flow sequences. You can also practice it as a stand alone posture, holding it for a longer period to strengthen a number of core muscles and to activate the core Bandhas.


Synergizing/Activating

1. Located on both sides of the rib cage, the serratus anterior muscles reach to the center-line border of the inside of the shoulder blades, tethering them and preventing them from "winging" upward.
2. The rhomboids connect the shoulder blades to the spine and work with the midsection of the trapezius to draw the shoulder blades toward the midline. This action combines with that of the serratus anterior to stabilize the shoulder blades and the entire shoulder.





3. The muscles at the front and back of the upper arm, the biceps and triceps, stabilize the elbows so they can maintain a right angle. These muscles also attach to the socket of the shoulder joint and hold the upper arm bone firmly in the joint.
4. The erector spinae muscles and the quadratus lumborum work together to lift the back. To hold the core in a neat package, the muscle running from the chest to the pubic bone, the rectus abdominus, tightens to oppose the back muscles and hold the trunk solid.
5. The psoas runs from the spine across the pelvis and onto the inside of the thighbone. Contracting this muscle tips the hips slightly forward while the buttock muscle counters with a force that, in combination, stabilizes the hip joints.
6. The quadriceps muscles along the front of the thigh firmly contract to straighten the knees.
7. The calf muscles attempt to flex the ankles and “push off” from the feet, countering the “pushing back” force of the triceps and deltoids. This opposing action helps stabilize the pose.







Adho Mukha Vrksasana: Full Arm Balance

Practicing arm balances, such as Adho Mukha Vrksasana, strengthens the core muscles of the shoulder girdle and arms. This increases the stability of the shoulder joint. This pose is also a dynamic type of inversion with beneficial effects on the cardiovascular and nervous system.

Synergizing/Activating

1. The triceps extends the elbows, aligning the bones of the upper arms and forearms.
2. The biceps are active and create a balancing force to that of the triceps, preventing hyperextension of the elbows.
3. The long heads of the triceps and biceps cross the shoulder joint. Contracting these muscles stabilizes the humerus in the glenoid (socket) of the shoulder joint.
4. The infraspinatus and teres minor externally rotate the humerus, helping avoid impingement of the humerus on the acromion process.
5. The anterior deltoids flex the shoulders over the head.
6. The lower trapezius draws the shoulders away from the cervical spine, freeing the neck.
7. The psoas and gluteus maximus create opposing forces to stabilize the hips and balance the pelvis.
8. The adductor group draws the thighs toward the midline.
9. The quadriceps extend the knees.
10. The peroneus longus and brevis evert the ankles and open the soles of the feet.








Titibasana: Insect Pose



This pose is similar to Bakasana. It strengthens the upper body and links the upper and lower appendicular skeletons to create stability. Titibasana also strengthens the quadriceps and psoas muscles, stretching the back of the body in the process. It is related to Kurmasana.



Synergizing/Activating:


1. The serratus anterior, attached at the side of the rib cage and along the edge of the shoulder blade, draws the shoulder blades forward, stretching the trapezius and rhomboids.
2. The pectoralis major in the chest works with the anterior deltoids at the front of the shoulder and thus stabilizes the shoulders.

3. The infraspinatus and teres minor turn the humerus (upper arm bone) outward to increase shoulder stability.
4. The triceps straighten the elbows.
5. The quadriceps straighten the knees.
6. The adductor group squeezes the thighs into the upper arms, making the connection between upper and lower body.




Inset: The psoas flexing the hip and the adductor longus drawing the thighs into the arms.

7. The psoas combines with the rectus abdominus along the trunk to bend the trunk and the hips.
8. The gastrocnemius and soleus in the calf bend the ankles away from the shins.
9. The peroneus longus and brevis muscles evert the ankle to open the soles of the feet.



Bakasana: Illustrating the stretch of the latissimus and middle third of the trapezius with activation of the anterior and middle portion of the deltoids and the lower third of the trapezius.



Bakasana: The muscular stabilizers of the shoulder joint. Note the long heads of the biceps and triceps wrapping over the humeral head. Note also the rotator cuff stabilizing the head of the humerus in the glenoid (socket) of the shoulder.




Pincha Mayurasana: Feather of the Peacock Pose



Pincha Mayurasana is a balancing pose in which the body forms the slight arch of a feather. Proper alignment of the shoulders and hips leads to a feeling of lightness and ease in the pose. The deep and superficial shoulder muscles are strengthened as one balances and aligns the shoulder and hip girdles.

Synergizing/Activating:

Shoulders and Arms

1. The infraspinatus and teres minor are active, turning the shoulders outward and lengthening the subscapularis muscle.
2. The triceps activate to press the forearms down. Extending the elbows assists the wrist flexors to press the palms into the floor.
3. The biceps are active, counterbalancing the triceps to assist in stabilizing the elbows and shoulders.
4. The trapezius and rhomboids draw the shoulder blades towards the midline, opening the chest. The lower third of the trapezius draws the shoulders away from the neck, freeing the cervical spine to extend.
5. The front and middle portions of the deltoids activate to lift the body.






Trunk

1. The erector spinae, flowing the length of the spine arch the back slightly like a feather. The quadratus lumborum stabilize the lower back.
2. The rectus abdominus is gently active to counter-balance the arch.

Pelvis and Legs


1. The psoas and gluteals are active, stabilizing the pelvis and preventing sway of the body.
2. The adductor group draws the legs together.
3. The quadriceps straighten the knees.




Inversions



Sirsasana
Head Stand
Page 166



Sarvangasana
Shoulder Stand
Page 170



Halasana
Plow Pose
Page 174

Sirsasana	166
Sarvangasana	170
Halasana	174



Sirsasana: Headstand


Headstand is a type of restorative pose. It is typically performed near the end of a practice session. Inverting the body stimulates control mechanisms in the heart and the arteries that monitor and adjust blood pressure. Inversions may also positively affect the flow of cerebrospinal fluid in the spinal cord and the brain.


Learn this pose only under the guidance of an experienced teacher. It should not be attempted by anyone who has spinal injuries or other conditions affecting the spine, especially the neck. Practitioners who do have such conditions should work with other poses that invert the body, but do not place undue pressure on the cervical spine. Supported Setu Bandha is an example of such a pose.

Synergizing/Activating

Shoulders and Arms


1. Triceps are active, stabilizing the forearms on the floor.
2. The biceps counteract the action of triceps. The long heads of both muscles cross the shoulder joint and attach to the joint socket at the top and bottom. Contracting these muscles holds the head of the arm bone firmly in the joint socket.
3. The anterior deltoids draw the shoulders over the head.
4. The lower trapezius draws the shoulders away from the neck, freeing the cervical spine.
5. The infraspinatus and teres minor muscles that join the shoulder blades to the upper arm bone (the humerus) turn its head into the socket, stabilizing it.





Trunk


1. Muscles running the length of the spine, the erector spinae, lift the back into the pose and remain active to stabilize it.
2. The rectus abdominus muscle, going from the chest to the pubic bone, activates to prevent the rib cage from bulging out. It works in an opposite direction to the erector spinae, which results in the two muscle groups forming a supporting sheath around the torso.
3. The quadratus lumborum in the lower back acts in concert with the psoas to support the lower back.




Inset: The adductor group drawing the legs together to stabilize the lower body in the inversion.

Pelvis and Legs


1. The gluteus maximus in the buttocks extends the hips. Opposing this at the front, the psoas balances the pelvis so that it is tipped neither forward nor backward, but is straight up and down like an upside down bowl.
2. The tensor fascia lata along the outside of the hip works with the gluteus medius deep in the buttock to turn the hips inward and keep the legs from splaying. This counteracts the gluteus maximus in turning the hips outward.
3. The adductor group draws the thighs together.
4. The quadriceps straighten the knees.
5. The tibialis anterior muscle on the front of the shin bends the ankles.
6. The peronei muscles along the outside of the lower leg turn the feet slightly outward.




Gentle activation of the psoas and gluteus maximus stabilizes the core of the body in inversions and aids in preventing the body from wavering.




Aligning the bones of the spine, shoulder and pelvic girdles with the direction of gravity stabilizes the pose.



Gentle activation of the muscles of the back lifts the spine.



Relaxing the muscles of the front of the neck and gently activating the pectoralis minor opens the chest and expands the lungs.



Sarvangasana: Shoulder Stand

The shoulder stand is a restorative inversion. Perform it near the end of your practice to relax.

As an inversion, the shoulder stand has effects that are similar to the head stand. Inverting the body stimulates control mechanisms in the heart and the arteries along the outside of the neck that monitor and adjust blood pressure. Inversions may also positively affect the flow of cerebrospinal fluid in the spinal cord and the brain, flushing regions where the fluid has pooled.

The shoulder joint is extended in the shoulder stand and the chest opens. Poses like Purvottanasana help one gain flexibility in moving the shoulders into the extended position so that the upper arms can be used to open the chest.

Synergizing/Activating



Shoulders and Arms

1. The biceps and brachialis muscles in the arms bend the elbows to press the hands into the back, supporting it and allowing the weight of the body to be shifted away from the neck. Flexor muscles in the forearm shorten to assist this process.
2. The posterior deltoids extend the shoulders away from the trunk and work to press the elbows into the floor.
3. The shoulder blades are drawn away from the neck by the lower trapezius muscle.
4. Two muscles of the rotator cuff, the infraspinatus and teres minor turn the upper arms outward.

Trunk


1. The erector spinae, flowing along the spine, and the rectus abdominus, from chest to pubic bone, lift the trunk.
2. The quadratus lumborum in the lower back works with the psoas major to support the lower back. Together these neurologically linked muscles wrap around the lumbar spine and stabilize it.







Pelvis and Legs

1. The pelvis is supported and held level by the gluteus maximus in the buttock and the psoas high at the front of the thigh and in the pelvis.
2. The adductors draw the thighs together.
3. The tensor fascia lata, along the outside of the hip, and gluteus medius, in the buttock, turn the hips and thighs inward and counter the outward pull of the buttock muscle.
4. The quadriceps, along the front of the thighs, straightens the knees.
5. Along the outside of the calf, the peronei turn the feet slightly outward, since there is a tendency for them to tilt inward. This action opens the soles of the feet upward.
6. The feet are drawn toward the head by the tibialis anterior muscles on the front of the shins.







Activating the psoas flexes the hips and, in concert with the quadratus lumborum, stabilizes the lumbar spine in Halasana.



Activating the biceps and brachialis muscles bends the elbows, pressing the hands into the back. Leaning into the hands stabilizes the pose and opens the chest. Activating the erector spinae muscles lifts the torso.



Activating the posterior portion of the deltoids extends the upper arms away from the back. Combining this action with flexing the elbows aids to lift the torso.





Halasana: Plow Pose

Halasana is one of the restorative poses that is usually performed near the end of the practice. It is also an inversion. Thus, it has beneficial effects on the cardiovascular system and the flow of cerebral spinal fluid.

Synergizing/Activating

1. The biceps flex the elbows. This causes the hands to press into the back, lifting and supporting it and opening the chest.
2. The posterior deltoids extend the humeri towards the floor, further lifting the back.
3. The quadratus lumborum and psoas combine to lift and stabilize the lower back.
4. The psoas and pectineus flex the hips.
5. The adductor longus and brevis draw the thighs toward the midline.
6. The quadriceps extend the knees.
7. The tibialis anterior dorsiflexes the ankles.
8. The peroneus longus and brevis evert the ankles and open the soles of the feet.






Inset: The long head of the biceps stabilizing the head of the humerus in the shoulder joint socket. Note the stretch of the subscapularis muscle (of the rotator cuff).



The action of the quadriceps triggers reciprocal inhibition, relaxing the hamstrings.



Cerebrospinal Fluid

Cerebrospinal fluid (CSF) is a clear liquid that circulates in the sub-arachnoid space surrounding the brain and spinal cord and throughout the ventricular system of the brain. It serves as a mechanical cushion against trauma and distributes nutrients and neuroendocrine factors such as endorphins to various parts of the central nervous system.

Inverting the body alters the flow of CSF, bathing the brain in endorphins and improving circulation to regions of stagnant flow.

Inversions and the Cardiovascular System


Inverting the body affects blood flow, increasing the return of blood from the torso and lower extremities through the inferior vena cava to the heart. This improves filling of the chambers of the heart. The heart pumps more efficiently when the chambers are filled optimally and cardiac output increases. Oxygenated blood is pumped out of the heart through the aorta and distributed to the body.

The aorta and carotid arteries have pressure receptors that aid in regulating blood pressure, maintaining the mean arterial pressure within a narrow range. These receptors respond to increased cardiac output or blood pressure by signaling the brain to increase parasympathetic outflow. This results in a slowing of the heart rate and lowering of the blood pressure. Conversely, when the blood pressure is low (hypotension), signals from the baroreceptors decrease, with cardiac output and blood pressure rising. The net effect is homeostatic balancing of the cardiac output and blood pressure.

Inverting the body in persons with normal blood pressure increases firing of the baroreceptors, thus increasing parasympathetic outflow (from the vagus and glossopharyngeal nerves). The result is a temporarily lowered heart rate and blood pressure.


Always come out of inversions slowly, to avoid light-headedness. Child's Pose is excellent for re-equilibrating the body's hemodynamics following inverted poses.

Persons with blood pressure problems, including hypertension or hypotension or glaucoma should always consult their physician before practicing inversions such as head stand or shoulder stand.



Circles mark the locations of the aortic and carotid baroreceptors.

Restorative Poses




Balasana
Child's Pose
Page 180



**Supported
Setu Bandha
Sarvangasana**
Bridge Pose
Page 182




Viparita Karani
Legs-Up-the-Wall Pose
Page 184




Savasana
Corpse Pose
Page 186


Balasana	180
Supported Setu Bandha	
Sarvangasana.....	182
Viparita Karani.....	184
Savasana	186



Balasana: Child's Pose

Balasana is a resting pose that can be used at any time one feels fatigue during practice. It gently relaxes the muscles on the front of the body while passively stretching the muscles of the back. This action releases the internal organs forward and opens the back of the thorax and lungs.









Supported Setu Bandha Sarvangasana: Bridge Pose

In Setu Bandha Sarvangasana, supporting the lower back and tail bone with a block results in an exquisite restorative pose. This is a form of inversion, since the head is below the heart in a relaxed position. Persons who cannot perform a headstand or shoulder stand can derive many of the same benefits of these inversions by doing this pose.






The pose passively stretches the quadriceps along the front of the thigh, the psoas high at top of the hip/thigh, the rectus abdominus in the abdomen, the pectoralis major in the chest, the deltoids cloaking the shoulders and the biceps at the front of the upper arm.




Viparita Karani: Legs-Up-the-Wall Pose

In Viparitta Karni, the hips flex and the knees extend to rest the legs against a wall. The pose can also be performed away from the wall, while resting the pelvis on a block. The abdomen is passive and resembles a lake. The backs of the legs passively stretch and the hip flexors relax.

Viparita Karani has cardiovascular effects that are similar to other inversions including increased return of blood to the heart and activation of the parasympathetic nervous system by the carotid and aortic baroreceptors. As such, it is a useful alternative for practitioners with cervical spine problems who do not wish to practice headstand or shoulder stand.







Savasana

Savasana, or Corpse pose, completes the cycle. The Sun Salutations have reset the muscle lengths in the brain and heated the body. The specific poses have lengthened the muscles surrounding the various joints, stimulating nerve conduction and illuminating the Chakras. The inversions have re-connected us to the parasympathetic nervous system. Now we are ready for deep relaxation.

Theta brain wave patterns predominate in Savasana, with electrical activity oscillating and vibrating at a frequency of 4-8 Hz. This state of brain function engages the intuitive unconscious mind, accessing deep seated memories and connecting to the collective unconscious. Healing occurs in this state. Deeper states of Savasana take the brain wave pattern into Delta (0.5-2 Hz frequency). This is the brain wave state of dreaming.

Passively look inside during Savasana and see the subtle energetic body, illustrated here floating above the physical body.





This image illustrates nerve conduction in the brain. Note the electrical activity at the synaptic junctions where the nerves interconnect. This activity increases during yoga practice as consciousness of the body awakens.

Appendix A: Guide to Body Movement.....	190
Appendix B: Index of Anatomy	202
Appendix C: Index of Poses.....	212

appendix A: guide to body movement

Motion of the musculoskeletal system necessarily involves multiple joints, forces applied in many directions, and movement in many planes. A convention exists to describe the basic movements of the musculoskeletal system that can be useful in analyzing the form and function of the asanas.

The six basic movements of the body take place in three planes:

Coronal plane: Divides the body into front and back. Movements along this plane are called adduction and abduction. Adduction moves the extremity towards the midline, abduction moves the extremity away from the midline.

Sagittal plane: Divides the body into right and left. Movements along this plane are called flexion and extension. Flexion usually moves the extremity forward except at the knee where it moves backward. Extension moves the extremity backward.

Transverse plane: Divides the body into upper and lower halves. Movement along this plane is called rotation. Rotation is further classified as medial rotation (toward the midline) or lateral rotation (away from the midline). Medial and lateral rotation are also referred to as internal and external rotation, respectively.

All movements of the body are composed of varying contributions of these six elemental movements.






Figure 1: abduction along the coronal plane.



Deconstructing a Pose

1. The standing hip flexes.
2. The knees extend.
3. The arms abduct.
4. The elbows extend.
5. The upper hip abducts.
6. The head rotates upward.

Ardha Chandrasana



Trunk

Figure 1:

Flexing the Trunk

The abdominal muscles that flex, or bend, the trunk forward include:

- The rectus abdominus: a flat band of muscle extending from the front of the rib cage to the front of the pelvis at the pubis.
- The abdominal obliques: two sheets of muscle with fibers running diagonally from the sides of the rib cage to the iliac bones of the pelvis.
- The transversus abdominus: the innermost sheet of muscle wrapping around the abdomen from the lower ribs to the top of the pelvis.

Figure 2:

Extending the Trunk

The muscles on the back that extend, or arch, the trunk include:




- The quadratus lumborum: a deep rectangular-shaped pair of muscles running alongside the lumbar spine from the top of the back part of the pelvis to the lower ribs and upper lumbar spine.
- The erector spinae muscles: a group of band-like muscles running along the back through its length.
- The latissimus dorsi: a large flat muscle that runs from the back of the pelvis and lower back to the upper arm bone (the humerus).
- The trapezius: a trapezoid-shaped muscle running from the top of the lumbar spine, over the shoulder blades and up to the back of the neck.

Figure 3:

Lateral Flexion of the Trunk

The muscles that bend the trunk to the side include:

- The psoas: a combination of the iliacus and psoas major muscles that runs from the the lumbar spine and inside the pelvis to the upper inside part of the thighbone (the femur).
- The quadratus lumborum: a deep rectangular-shaped muscle running alongside the lumbar spine from the top of the back part of the pelvis to the lower ribs and upper lumbar spine.
- The erector spinae on one side of the back: a group of band-like muscles running along the back through its length.



Pelvis

Figure 1:

Tilting the Pelvis Back and Down (Retroversion)

The muscles that tilt the pelvis back and down:

- The gluteus maximus: a large muscle forming the bulk of the buttocks, the gluteus maximus flows from the back of the pelvis to insert on the side of the thighbone (femur). Part of this muscle also attaches to the iliotibial band, a sheet-like tendon that attaches to the knee.
- The hamstrings: four tube-shaped muscles running from the back of the pelvis on the sitting bone, the ischial tuberosity, to the top of the lower leg bones (tibia and fibula).

Figure 2:

Tilting the Pelvis Forward (Anteversion)

The muscles that tilt the pelvis forward:

- The psoas: a combination of the iliacus and psoas major muscles that runs from the lumbar spine and inside the pelvis to the upper inside part of the thighbone (the femur).
- The rectus femoris: a long, tube-shaped muscle that is part of the quadriceps and runs from the front of the pelvis to the kneecap.
- The sartorius: a narrow, band-like muscle that runs diagonally across the surface of the thigh from the front of the pelvis to the inside of the knee.

Hip

Figure 3:

Flexing the Hip

The muscles that flex the hip upward toward the front of the trunk:

- The psoas: a combination of the iliacus and psoas major muscles that runs from the lumbar spine and inside the pelvis to the upper inside part of the thighbone (the femur).
- The rectus femoris: a long, tube-shaped muscle that is part of the quadriceps and runs from the front of the pelvis to the kneecap.
- The sartorius: a narrow, band-like muscle that runs diagonally across the surface of the thigh from the front of the pelvis to the inside of the knee.
- The pectineus: a flat, band-like muscle that runs from the front of the pelvis to the inside of the thighbone.
- The adductor longus and brevis muscles: long, flat, narrow muscles that run from the front of the pelvis to the inside of the femur.




Figure 1:

Extending the Hip

The muscles that extend the hip, opening the front of the pelvis:

- The gluteus maximus: a large muscle forming the bulk of the buttocks, the gluteus maximus flows from the back of the pelvis to insert on the side of the thighbone (femur). Part of this muscle also attaches to the iliotibial band, a sheet-like tendon that attaches to the knee.
- The hamstrings: four tube-shaped muscles, three of which run from the back of the pelvis on the sitting bones and one of which originates from the femur, to insert on the top of the lower leg bones (tibia and fibula).

Figure 2:

Drawing the Thigh toward the Midline (Adduction)

The muscles that adduct the thigh include:

- The adductor group: three muscles running from the front and lower part of the pelvis to the inside of the thighbone (femur). From the front of the pelvis to the back, these are the adductor longus, adductor brevis, and adductor magnus.
- The pectineus: a flat, band-like muscle that runs from the front of the pelvis to the inside of the thighbone.
- The gracilis: a flat, band-like muscle running from the lower front of the pelvis to the inside of the lower leg.

Figure 3:

Drawing the Thigh Away from the Midline (Abduction)

The muscles that abduct the thigh include:

- The gluteus medius and minimus: these muscles form the side part of the buttocks and run from the side of the pelvis to the outside of the thighbone on the greater trochanter, a large, knob-like structure near the top of the femur.
- The tensor fascia lata: a muscle running from the side of the pelvis with a long, band-like tendon that inserts onto the front of the main lower leg bone, the tibia.
- The piriformis: a small, pyramid-shaped muscle running from the inside of the pelvis to the top outside of the femur, inserting on the inside of the greater trochanter.
- The obturator internus: a narrow, tube-like muscle running from the inside of the pelvis to the top outside of the femur, inserting on the greater trochanter.




Figure 1:

Turning the Thigh Outward (External Rotation)

The muscles that externally rotate the thigh include:

- The gluteus maximus: a large muscle forming the bulk of the buttocks, the gluteus maximus flows from the back of the pelvis to insert on the side of the thighbone (femur). Part of this muscle also attaches to the iliotibial band, a sheet-like tendon that attaches to the knee.
- The adductor magnus: the largest of the adductor muscle group that runs from the lower back of the pelvis, near the sitting bone, to the inside of the femur near the knee.
- The deep external rotators: these are the piriformis, obturators, gemelli and quadratus femoris muscles. They run deep to the gluteals and insert on the top part of the femur.
- The sartorius: a narrow, band-like muscle that runs diagonally across the surface of the thigh from the front of the pelvis to the inside of the knee.




Figure 2:

Turning the Thigh Inward (Internal Rotation)

The muscles that internally rotate the thigh include:

- The tensor fasciae latae: a muscle running from the side of the pelvis with a long, band-like tendon that inserts onto the front of the main lower leg bone, the tibia.
- The gluteus medius: this muscle forms the side part of the buttocks and runs from the side of the pelvis to the outside of the thighbone on the greater trochanter, a large, knob-like structure near the top of the femur.

Knee

Figure 3 (right leg):

Straightening the Leg (Extension)

The muscles that extend or straighten the knee include:


- The quadriceps: a four-headed muscle on the front of the thigh with three heads running from the femur and one head running from the pelvis, to the kneecap (and on to the lower leg).
- The tensor fasciae latae: a muscle running from the side of the pelvis with a long band-like tendon that inserts onto the front of the main lower leg bone, the tibia. This muscle assists with the last 30 degrees of extension.


Figure 3 (left leg):

Bending the Leg (Flexion)

The muscles that flex or bend the knee include:

- The hamstrings: four tube-shaped muscles, three of which run from the back of the pelvis on the sitting bones and one of which originates from the femur, to insert on the top of the lower leg bones (tibia and fibula).
- The sartorius, a band-like muscle running diagonally across the thigh and the gracilis running along the inside of the thigh.
- The gastrocnemius: the large muscle forming the calf.





Shoulder Girdle

Figure 1:

Drawing the Shoulders Away from the Neck (Depressing the Scapula)

The muscles on the front of the chest that depress the scapula include:

- The sternal portion of the pectoralis major: this is the lower part of the broad, flat muscle on the front of the chest that runs from the sternum bone at the center of the chest to the upper inside of the humerus.
- The pectoralis minor: a smaller, band-like muscle located under the pectoralis major that runs from the upper ribs to the coracoid process, a beak-shaped protrusion of bone on the front of the scapula.

Figure 2:

The muscles on the back that depress the scapula include:

- The latissimus dorsi: a large, flat muscle that runs from the back of the pelvis and lower back to the upper arm bone (the humerus).
- The lower third of the trapezius: a trapezoid-shaped muscle running from the top of the lumbar spine, over the shoulder blades, and up to the back of the neck.

Figure 3:

Lifting or Elevating the Shoulder Girdle

The muscles that elevate the shoulder girdle include:

- The upper third of the trapezius: a trapezoid-shaped muscle running from the top of the lumbar spine, over the shoulder blades, and up to the back of the neck.
- The levator scapulae: a group of small, tube-like muscles running from the top of the shoulder blades to the sides of the upper four vertebrae in the neck.
- The rhomboids: two flat muscles, the rhomboid major and minor, that run from the inner border of the shoulder blades to the midline of the back at the spine.




Figure 1:

Rotating the Shoulder Blade Upward

The muscles that rotate the scapula upward include:

- The serratus anterior: a group of narrow, flat muscles that run from the inner surface of the medial border of the scapula to the front part of the rib cage.
- The upper and middle thirds of the trapezius: a trapezoid-shaped muscle running from the top of the lumbar spine, over the shoulder blades, and up to the back of the neck.

Figure 2:

Moving the Shoulder Blades Away from the Midline (Protraction or Abduction)

The muscles that protract the shoulder blades include:


- The serratus anterior: the group of narrow flat muscles that run from the inner surface of the medial border of the scapula to the front part of the rib cage.
- The pectoralis major: the broad, flat muscle on the front of the chest that runs from the sternum bone at the center of the chest and the collar bone to the upper inside of the humerus.
- The pectoralis minor: a smaller, band-like muscle located under the pectoralis major that runs from the upper ribs to the coracoid process, a beak-shaped protrusion of bone on the front of the scapula.

Figure 3:

Drawing the Shoulder Blades Toward the Midline of the Back (Retraction)

The muscles that retract the shoulder blades toward the midline include:

- The rhomboids: two flat muscles, the rhomboid major and minor, that run from the inner border of the shoulder blades to the midline of the back at the spine.
- The middle third of the trapezius: a trapezoid-shaped muscle running from the top of the lumbar spine, over the shoulder blades, and up to the back of the neck.
- The latissimus dorsi: the large, flat muscle that runs from the back of the pelvis and lower back to the upper arm bone (the humerus).



Shoulder and Upper Arms

Figure 1:

Raising the Arms Above the Head (Flexion)

The muscles that flex the arms include:

- The anterior portion of the deltoids: the large muscle that covers the shoulders and runs from the top of the shoulder blade and clavicle to the outside of the humerus.
- The biceps: the large muscle on the front of the upper arms.
- The coracobrachialis: the thin tube-like muscle running from the coracoid process to the mid portion of the humerus.
- The pectoralis major (sternoclavicular or upper portion): the broad, flat muscle on the front of the chest that runs from the sternum bone at the center of the chest and the collar bone to the upper inside of the humerus.

Figure 2:

Moving the Arms Backward (Extension)

The muscles that extend the arms include:


- The triceps (long head): the large muscle on the back of the upper arms has three heads. The long head originates from the lower border of the shoulder socket, inserting on the olecranon process of the ulna (forearm bone).
- The latissimus dorsi: a large, flat muscle that runs from the back of the pelvis and lower back to the upper arm bone (the humerus).
- The posterior third of the deltoid: the large muscle that covers the shoulders and runs from the top of the shoulder blade and clavicle to the outside of the humerus.

Figure 3:


Moving the Arm from the Midline (Abduction)

The muscles that abduct the arms include:


- The lateral portion of the deltoids: the large muscle that covers the shoulders and runs from the top of the shoulder blade and clavicle to the outside of the humerus is divided into thirds. These are the front (anterior), the side (lateral), and back (posterior) portions of the muscle.
- The long head of the biceps: the large muscle on the front of the upper arms has a long and a short head. The long head originates from the top of the shoulder socket (glenoid) and the short head originates from the beak-like coracoid process at the front of the scapula. Both heads combine to insert onto the radius bone of the forearm.
- The supraspinatus: the muscle running from a depression on the back of the shoulder blade above the spine of the scapula to the head of the humerus initiates abduction of the upper arm.



1



2



3

Figure 1:

Moving the Arms Toward the Midline of the Body (Adduction)

The muscles that adduct the arms include:

- The pectoralis major: the broad, flat muscle on the front of the chest that runs from the sternum bone at the center of the chest and the collar bone to the upper inside of the humerus.
- The teres major: the narrow, band-like muscle running from the lower border of the scapula to the humerus.
- The latissimus dorsi: the large, flat muscle that runs from the back of the pelvis and lower back to the upper arm bone (the humerus).
- The long head of the triceps: the large muscle on the back of the upper arms has three heads. The long head originates from the lower border of the shoulder socket, and the medial and lateral heads originate from the humerus, inserting onto the ulna bone of the forearm.

Figure 2:

Turning the Arm Outward (External Rotation)

The muscles that externally rotate the upper arm (humerus) include:


- The posterior third of the deltoid: the large muscle that covers the shoulders and runs from the top of the shoulder blade and clavicle to the outside of the humerus is divided into thirds. These are the front (anterior), the side (lateral), and back (posterior) portions of the muscle.
- The infraspinatus: the muscle running from a depression on the back of the shoulder blade below the spine of the scapula to the head of the humerus.
- The teres minor: the small, narrow muscle originating from the lower outside border of the scapula and running to the head of the humerus, inserting just behind the infraspinatus.

Figure 3:

Turning the Arm Inward (Internal Rotation)

The muscles that internally rotate the upper arm include:

- The sternocostal portion of the pectoralis major: this is the lower part of the broad, flat muscle on the front of the chest that runs from the sternum bone at the center of the chest to the upper inside of the humerus.
- The front or anterior portion of the deltoids: the large muscle that covers the shoulders and runs from the top of the shoulder blade and clavicle to the outside of the humerus is divided into thirds. These are the front (anterior), side (lateral), and back (posterior) portions of the muscle.
- The subscapularis: the fan-shaped, flat muscle originating from the front surface of the scapula and running in front of the shoulder joint to attach to a small knob on the humeral head, the lesser tuberosity.
- The latissimus dorsi: the large, flat muscle that runs from the back of the pelvis and lower back to the upper arm bone (the humerus).
- The teres major: the narrow, band-like muscle running from the lower border of the scapula to the humerus.



Elbow

Figure 1:

Bending (Flexing) the Elbow

The muscles that flex the elbow include:

- The biceps brachii: the large muscle on the front of the upper arms has a long and short head. The long head originates from the top of the shoulder socket (glenoid). The short head originates from the beak-like coracoid process at the front of the scapula. Both heads combine to insert onto the radius bone of the forearm.
- The brachialis: the muscle located under the biceps just above the elbow on the front of the humerus, originating from the humerus and inserting on the ulna bone of the forearm.





Figure 2:

Straightening (Extending) the Elbow

The muscles that extend the elbow include:

- The triceps: the large muscle on the back of the upper arms has three heads. The long head originates from the lower border of the shoulder socket and the medial and lateral heads originate from the humerus, inserting onto the ulna bone of the forearm.
- The anconeus: the small muscle on the outside of the elbow, running from the back part of the lateral condyle of the elbow to the ulna bone of the forearm.



Forearm

Figure 3:

Turning the Palm to Face Downward (Pronating the Forearm)

The muscles that pronate the forearm include:

- The pronator teres: the flat, band-like muscle originating at the humerus on the inside of elbow and crossing over to insert onto the shaft of the radius bone of the forearm.
- The pronator quadratus: this flat, square-shaped muscle in the forearm bridges the forearm bones, the radius and ulna.




Figure 1:

Turning the Palm Upward (Supinating the Forearm)

The muscles that supinate the forearm include:

1. The biceps brachii: the large muscle on the front of the upper arms has a long and short head. The long head originates from the top of the shoulder socket (glenoid). The short head originates from the beak-like coracoid process at the front of the scapula. Both heads combine to insert onto the radius bone of the forearm.
2. The supinator: the thin, sheet-like muscle originating from the outer surface of the humerus at the elbow and ulna, then wrapping around to insert on the radius bone of the forearm.

Ankle

Figure 2:

Pressing the Sole of the Foot Downward (Plantar Flexion)

The muscles that plantar flex the foot include:

1. The gastrocnemius: the large two headed muscle originating from the back of the femur and inserting onto the heel bone (calcaneus) via the Achilles tendon.
2. The soleus: the bulky muscle under the gastrocnemius that originates from the tibia and inserts onto the heel bone via the Achilles tendon.
3. The peroneus longus and brevis: long thin tube-like muscles originating from the side of the fibula and inserting on the bottom and outside of the foot, respectively.
4. The tibialis posterior: the deep muscle originating from the back of the shin bone (tibia) and wrapping around the inside of the ankle to insert on the bottom of the foot.
5. The flexor hallucis longus: the deep muscle originating from the back of the fibula and wrapping around the inside of the ankle to insert on the bottom of the big toe.

Figure 3:

Drawing the Foot Towards the Shin (Dorsiflexion)

The muscles that dorsiflex the foot include:

1. The tibialis anterior: the long flat muscle originating from the front of the shin bone (tibia) and inserting on the inner surface of the foot.
2. The extensor hallucis longus: the smaller tube-like muscle underneath the tibialis anterior that originates from the fibula and inserts on the top of the big toe.
3. The extensor digitorum longus: the long thin muscle originating from the outside of the shin and inserting onto the tops of the toes.




Figure 1:

Tilting the Foot Inward (Inversion)

The muscles that invert the foot include:

1. The tibialis anterior: the long flat muscle originating from the front of the shin bone (tibia) and inserting on the inner surface of the foot.
2. The tibialis posterior: the deep muscle originating from the back of the shin bone (tibia) and wrapping around the inside of the ankle to insert on the bottom of the foot.

Figure 2:

Tilting the Foot Outward (Eversion)


The muscles that evert the foot include:

1. The peroneus longus and brevis: long thin tube-like muscles originating from the side of the fibula and inserting on the bottom and outside of the foot, respectively.

appendix B:

index of anatomy


1. skull
2. clavicle
3. sternum
4. ribcage
5. scapula
6. humerus
7. ulna
8. radius
9. iliac crest
10. femur
11. patella
12. tibia







1. cervical spine
2. thoracic spine
3. lumbar spine
4. sacrum
5. iliac bone
6. femur
7. patella
8. fibula
9. tibia
10. metatarsals
11. scapula

1. pectoralis major
2. biceps
3. triceps
4. rectus abdominus
5. external oblique
6. serratus anterior
7. anterior deltoid
8. lateral deltoid
9. platysmus
10. sternocleidomastoid







1. lateral deltoid
2. posterior deltoid
3. trapezius
4. latissimus dorsi
5. triceps
6. gluteus maximus
7. gluteus medius
8. tensor fascia lata
9. hamstrings
10. tibialis anterior
11. peroneus longus
12. peroneus brevis





1. infraspinatus
2. rhomboids
3. teres major
4. serratus anterior
5. erector spinae
6. internal oblique
7. external oblique
8. gluteus medius
9. gluteus maximus
10. tensor fascia lata
11. vastus medialis
12. rectus femoris
13. vastus intermedius
14. vastus lateralis
15. biceps femoris
16. semitendinosus
17. semimembranosus
18. adductor magnus

1. diaphragm
2. biceps
3. quadratus lumborum
4. psoas major
5. iliacus
6. gracilis
7. sartorius
8. vastus medialis
9. patellar tendon
10. gastrocnemius
11. soleus
12. pelvic bowl




- 
- This anatomical diagram illustrates the pelvic floor and perineal region from a superior perspective. The central structure is the anal canal, shown with its internal and external sphincters. The levator ani muscle forms the pelvic floor, with its iliococcygeal and pubococcygeal portions clearly visible. The coccygeus muscle is located posterior to the levator ani. The piriformis muscle is shown originating from the greater sciatic foramen. The obturator internus muscle lines the lesser sciatic foramen. The pectineus, adductor longus, and adductor brevis muscles are shown originating from the pubis and inserting into the lesser sciatic foramen. The diagram is color-coded, with muscles in shades of red and pink, and bones in white.
1. piriformis
 2. coccygeus
 3. levator ani (iliococcygeal portion)
 4. obturator internus
 5. levator ani (pubococcygeal portion)
 6. pectineus
 7. adductor longus
 8. adductor brevis

- 
1. piriformis
 2. sacrotuberous ligament
 3. superior gemellus
 4. obturator internus
 5. inferior gemellus
 6. coccygeus
 7. levator ani (iliococcygeal portion)
 8. gluteus maximus
 9. adductor magnus
 10. gracilis
 11. tensor fasciae latae

- 
1. pectoralis major (sternoclavicular portion)
2. pectoralis major (sternocostal portion)
3. pectoralis minor
4. subscapularis
5. supraspinatus
6. infraspinatus
7. biceps (short head)
8. biceps (long head)
9. serratus anterior
10. latissimus dorsi
11. triceps (short head)
12. trapezius

1. supraspinatus
2. infraspinatus
3. teres minor
4. teres major
5. triceps (long head)
6. triceps (short head)
7. rhomboid minor
8. rhomboid major
9. latissimus dorsi
10. levator scapulae



appendix C:

index of poses

A

Adho Mukha Svanasana

Downward Facing Dog 51, 52, 148, 149

Adho Mukha Vrksasana

Full Arm Balance 29, 154, 155

Ardha Baddha Padma Paschimottanasana

Half Bound Lotus Forward Bend 106, 107

Ardha Chandrasana

Half Moon Pose 68, 69

Ardha Matsyendrasana

Lord of the Fishes Pose 128, 129

B

Baddha Konasana

Caught or Bound Angle Pose 88, 89

Bakasana

Crow Pose 156, 157, 160, 161

Balasana

Childs Pose 180, 181

C

Chataranga Dandasana

Four Limb Staff Pose 50, 152, 153

D

Dandasana

Staff Pose 102, 103

Danurasana

Bow Pose 140, 141

E

Eka Pada Rajakapotasana I

Pidgeon Pose 36-43, 144, 145

G

Garudasana

Eagle Pose 36, 37

H

Halasana

Plow Pose 172, 174, 175

J

Janu Sirsasana

Head-to-Knee Pose 6-9, 18, 19, 22, 23, 100, 101

K

Kurmasana

Turtle Pose 118, 119

M

Marichyasana III

Great Sage Pose 31, 124, 125

Marichyasana I

Great Sage Pose 126, 127

N

Navasana

Boat Pose 110, 111

P

Parighasana

Cross Bar of the Gate Pose 116, 117

Parivrtta Janu Sirsasana

Revolving Head to Knee Pose 114, 115

Parivrtta Parsvakonasana

Revolving Lateral Angle Pose
(Lunge Variation) 28, 78, 79

Parivrtta Trikonasana

Revolving Triangle Pose 76, 77

Parsvottanasana

Intense Side Stretch Pose 27, 70, 71

Paschimottanasana

Intense Stretch to the West Pose 16, 17, 108, 109

Pincha Mayurasna

Feather Pose 162, 163

Prasarita Padottanasana

Spread Feet Intense Stretch Pose 29, 80, 81

Purvottanasana

Intense Stretch to the East Pose 48, 136, 137

S**Salabhasana**

Locust Pose 132, 133

Sarvangasana

Shoulder Stand 170-173

Savasana

Corpse Pose 186

Sirsasana

Headstand 166-169

Supported Setu Bandha Sarvangasana

Bridge Pose 182, 183

Supta Padangusthasana A

Sleeping Big Toe Pose 92, 93

Supta Padangusthasana B

Sleeping Big Toe Pose 94, 95

Supta Padangusthasana

(Bent knee Version) 90, 91

Supta Padangusthasana

(Revolving Variation) 96, 97

T**Tadasana**

Mountain Pose 56, 57

Titibasana

The Insect Pose 158, 159

Trianga Mukaikapada Paschimottanasana

Three Limbs Face One Foot Pose 104, 105

U**Ubhaya Padangusthasana**

Both Feet Big Toe Pose 112, 113

Urdhva Danurasana

Upward Facing Bow Pose 142, 143

Urdhva Mukha Svanasana

Upward Facing Dog Pose 51, 52, 134, 135

Ustrasana

Camel Pose 138, 139

Utkatasana

Chair Pose 30, 84, 85

Uttanasana

Intense Forward-bending Pose 5, 13-15, 50-52, 58, 59

Utthita Parsvakonasana

Extended Lateral Angle Pose 66, 67

Utthita Trikonasana

Triangle Pose 26, 62, 63

V**Vasisthasana**

Sage Pose 150, 151

Viparita Karni

Legs Up the Wall Pose 184, 185

Virabhadrasana I

Warrior I 72, 73

Virabhadrasana II

Warrior II 64, 65

Virabhadrasana III

Warrior III 74, 75

Vrksasana

Tree Pose 60, 61



Scientific Keys Volume II


The Key Poses of Hatha Yoga

Your Guide to Functional Anatomy in Yoga

- Stretching Biomechanics
- Stretching Physiology
- Neurophysiology
- 55 Key Poses of Hatha Yoga

BANDHAYOGA
PUBLICATIONS

www.BandhaYoga.com



ISBN 978-0-9779614-2-9



9 780977 961429